



<http://www.ebiz-tcf.eu>

DRAFT

IMPLEMENTATION GUIDE

TRANSACTION "RAW MATERIAL ORDER STATUS"

Version: draft

Date of release: 17/5/2019

Document code: G064

technical Documentation: <http://www.ebiz.enea.it>

XML Schemas repository: <http://www.ebiz.enea.it/moda-ml/repository/schema/draft/default.asp>

Guides repository: <http://www.ebiz.enea.it/moda-ml/repository/guide/draft/default.asp>

Guide filename: G064-eBIZ-RawMaterialOrderStatus.pdf

0. PREMISE

This document contains a proposal for the updating and extension of eBIZ specifications starting from the eBIZ version released as CEN CWA 16667 in 2013. Under the name of 'Draft version' it is reported the result of an extensive work of analysis and consultation aimed at developing and maintaining eBIZ specifications.

In particular, the content of this proposal is the result of various activities, mainly those carried out within the framework of the **eBIZ 4.0 project** funded by the European Commission, call COS-DESIGN-2015-3-06, topic COS-2015-DESIGN-2.

The technical contents are backwards compatible with the latest official published version.

1. BUSINESS DESCRIPTION

1.1 Scope

The present guide has been issued to assist the companies of the Textile-Clothing sector in the implementation of the standard XML document type "RAW MATERIAL ORDER STATUS REPORT", providing all the instruction required for its use in any context of e-commerce between the Yarn Producers (or their Subcontractors) and their Customers.


All the rules required for the construction and validation of the document are embedded into the specific XML-Schema, which is detailed in section "Implementation guide".

1.2 Generalities

The message is issued to report to the Client the status of his Orders and the updated dates of delivery, with the possibility of splitting the order line into several consignements.

1.3. Possible scenario

Subcontracted dyeing of raw material



2. IMPLEMENTATION GUIDE

2.1 General structure of XML document

All the business data that can be exchanged through this class of documents are shown in the following "document structure", that provides a simplified vision of the Schema.

In particular:

- the two numbers following each element define its "cardinality" (minimum and maximum number of occurrences); the minimum equal zero indicates that the element is optional, the minimum greater than zero indicates that is mandatory;
- the bold character denotes the complex elements (aggregates of simple elements) that were built for the sake of functionality and re-usability of some complex informations sets. The child elements in each parent element are easily spotted as "indented";
- the symbol "@" denotes an attribute of the preceding element; here "the usage indicator (optional, required, ...)" is shown in square brackets.

Structure

RAWordStatus

@TStype [Optional]

@msgfunction [Optional] [Default= OR]

@version [Optional] [Default= draft]

@useProfile [Optional]

| **TShedder 1-1**

| | msgN 1-1

| - choose -

| | msgID 0-1

| - or -

| | docID 0-1

| | @numberingOrg [Optional]

| - end choose -

| | msgDate 1-1

| | @dateForm [Optional]

| | **refDoc 0-9**

| | @docType [Required]

| | | docID 1-2

| | | @numberingOrg [Optional]

| | | docDate 0-1

| | | @dateForm [Optional]

| | | season 0-1

| | | @numberingOrg [Optional]

| | | @codeList [Optional]

| | | @listName [Optional]

| | | @listVersion [Optional]

| | | itemID 0-1

| | | **attachment 0-1**

| | | @uid [Optional]

| | | | fileName 0-1

| | | | @numberingOrg [Optional]

| | | | binaryObject 0-1

| | | | @format [Optional]

| | | | @mime [Optional]

| | | | @encoding [Optional]

| | | | @characterSet [Optional]

| | | | **externalReference 0-99**

| | | | | uri 1-1

| | | | | @isURL [Optional] [Default= true]

| | | | | mimeTypeCode 0-1

| | | | | formatCode 0-1

			encodingCode 0-1
			characterSetCode 0-1
			buyer 1-1
			@logo [Optional]
			@sender [Optional]
			id 1-1
			@numberingOrg [Optional]
			additionalIdentifier 0-9
			@numberingOrg [Optional]
			@idQualifier [Optional]
			legalName 0-1
			dept 0-1
			subDept 0-1
			person 0-1
			@email [Optional]
			@phone [Optional]
			@fax [Optional]
			street 0-1
			city 0-1
			subCountry 0-1
			country 0-1
			postCode 0-1
			supplier 1-1
			@logo [Optional]
			@sender [Optional]
			id 1-1
			@numberingOrg [Optional]
			additionalIdentifier 0-9
			@numberingOrg [Optional]
			@idQualifier [Optional]
			legalName 0-1
			dept 0-1
			subDept 0-1
			person 0-1
			@email [Optional]
			@phone [Optional]
			@fax [Optional]
			street 0-1
			city 0-1
			subCountry 0-1
			country 0-1
			postCode 0-1
			note 0-99
			@numberingOrg [Optional]
			@codeList [Optional]
			@noteLabel [Optional]

RSbody 1-1

			RSitem 1-unbounded
			lineN 1-1
			@VAT [Optional]
			refDoc 0-1
			@docType [Required]
			docID 1-2
			@numberingOrg [Optional]
			docDate 0-1
			@dateForm [Optional]
			season 0-1
			@numberingOrg [Optional]
			@codeList [Optional]
			@listName [Optional]

```

| | | | @listVersion [Optional]
| | | | itemID 0-1
| | | | attachment 0-1
| | | | @uid [Optional]
| | | | | fileName 0-1
| | | | | @numberingOrg [Optional]
| | | | | binaryObject 0-1
| | | | | @format [Optional]
| | | | | @mime [Optional]
| | | | | @encoding [Optional]
| | | | | @characterSet [Optional]
| | | | | externalReference 0-99
| | | | | | uri 1-1
| | | | | | @isURL [Optional] [Default= true]
| | | | | | mimeTypeCode 0-1
| | | | | | formatCode 0-1
| | | | | | encodingCode 0-1
| | | | | | characterSetCode 0-1
| | | | rawCode 1-2
| | | | @numberingOrg [Optional]
| | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | | @numberingOrg [Optional]
| | | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | | @ln [Optional]
| | | | progress 1-99
| | | | | qty 1-2
| | | | | | @um [Required]
| | | | | | deliveryDate 0-1
| | | | | | @dateForm [Optional]
| | | | | | delGrantedDate 0-1
| | | | | | @dateForm [Optional]
| | | | - choose -
| | | | | mfrStatus 0-1
| | | | - or -
| | | | | mfrStatusText 0-1
| | | | - end choose -
| | | | | itemsList 0-1
| | | | | | qualityLevel 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | itemIdentification 1-unbounded
| | | | | | | serialN 1-9
| | | | | | | @numberingOrg [Optional]
| | | | | | | @idQualifier [Optional]

```

2.2 Detailed description of document elements

Following tables show all elements (complex and simple) used in this document. Description includes: 1) element's information: xml tag, name, brief description, data type and syntax constraints; 2) information about use of the element in a particular position in the document: xpath and possible associated notes.

2.2.1 Complex elements (Aggregate Business Information Entities)

Complex elements are those elements whose content is composed of other elements (childs).Complex elements are alphabetically ordered.

attachment	an attached document. An attachment can refer to an external document or be included with the document being exchanged (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment) 0-1 (XPath RAWOrdStatus/TShheader/refDoc/attachment) 0-1
buyer	details of the Buyer (party that buys the good or service that is object of the current collaborative process) - base type: Nad, (XPath RAWOrdStatus/TShheader/buyer) 1-1
externalReference	details about an external object, such as a document stored at a remote location (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/externalReference) 0-99 (XPath RAWOrdStatus/TShheader/refDoc/attachment/externalReference) 0-99
itemIdentification	serial identification of a product unit (XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList/itemIdentification) 1-unbounded - note: <i>identification of the single product unit contained in the list</i>
itemsList	list of the single product units (XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList) 0-1
progress	description of the progress of a production lot in a manufacturing process (XPath RAWOrdStatus/RSbody/RSitem/progress) 1-99
rawCode	full codification of a raw material (XPath RAWOrdStatus/RSbody/RSitem/rawCode) 1-2
refDoc	identification of a document and of an item thereof, to which the message makes reference (XPath RAWOrdStatus/TShheader/refDoc) 0-9 (XPath RAWOrdStatus/RSbody/RSitem/refDoc) 0-1 - note: <i>here the order and order line whose status is reported can be identified</i>
RSbody	body of the document RAW MATERIAL ORDER STATUS REPORT (XPath RAWOrdStatus/RSbody) 1-1
RSitem	line item of the document RAW MATERIAL ORDER STATUS REPORT (XPath RAWOrdStatus/RSbody/RSitem) 1-unbounded
supplier	details of the Supplier (party that supplies the good or service that is object of the current collaborative process) - base type: Nad, (XPath RAWOrdStatus/TShheader/supplier) 1-1
TShheader	header of the TEXTILES (YARN) ORDER STATUS REPORT (XPath RAWOrdStatus/TShheader) 1-1

2.2.2 Simple elements (Basic Business Information Entities)

Simple elements are those elements whose content is characterized by a data type plus a domain of possible values. Simple elements are alphabetically ordered.

added	additional code of the product (complementing the formers) - base type: string, max length: 80, (XPath RAWOrdStatus/RSbody/RSitem/rawCode/added) 0-9
additionalIdentifier	additional identification code of a Party, for example customs registries or others - base type: string, max length: 15, (XPath RAWOrdStatus/TShedder/supplier/additionalIdentifier) 0-9 - note: <i>identifiers for example for exports, such as MID (Manufacturer Identification Code), EORI (E.O.R.I. - Economic Operator Registration and Identification)</i> (XPath RAWOrdStatus/TShedder/buyer/additionalIdentifier) 0-9 - note: <i>identifiers for example for exports, such as MID (Manufacturer Identification Code), EORI (E.O.R.I. - Economic Operator Registration and Identification)</i>
@addType	qualifier of the additional coding of a product - base type: string, cod. table: T44 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml (XPath RAWOrdStatus/RSbody/RSitem/rawCode/added/@addType) [Optional] - nota: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i>
art	article number of the product - base type: string, max length: 80, (XPath RAWOrdStatus/RSbody/RSitem/rawCode/art) 1-1
binaryObject	a binary large object containing an attached document - base type: base64Binary, (XPath RAWOrdStatus/TShedder/refDoc/attachment/binaryObject) 0-1 (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/binaryObject) 0-1
@characterSet	the character set of the binary object if the mime type is text - base type: normalizedString, (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/binaryObject/@characterSet) [Optional] (XPath RAWOrdStatus/TShedder/refDoc/attachment/binaryObject/@characterSet) [Optional]
characterSetCode	the character set of an external document - base type: normalizedString, (XPath RAWOrdStatus/TShedder/refDoc/attachment/externalReference/characterSetCode) 0-1 (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/externalReference/characterSetCode) 0-1
city	name of the city (town, village) - base type: string, max length: 40, (XPath RAWOrdStatus/TShedder/supplier/city) 0-1 (XPath RAWOrdStatus/TShedder/buyer/city) 0-1
@codeList	it specifies the URL where the list of codes used to make an instance of the element can be found - base type: string, max length: 255, (XPath RAWOrdStatus/RSbody/RSitem/rawCode/color/@codeList) [Optional] - nota: <i>this attribute could be used as alternative to the others</i> (XPath RAWOrdStatus/RSbody/RSitem/refDoc/season/@codeList) [Optional] (XPath RAWOrdStatus/TShedder/refDoc/season/@codeList) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/rawCode/art/@codeList) [Optional] - nota: <i>this attribute should be ALTERNATIVE to the others</i>

	(XPath RAWOrdStatus/TShheader/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList/qualityLevel/@codeList) [Optional]
color	colour number of the product, when not included in the model or fabric code - base type: string, max length: 15, (XPath RAWOrdStatus/RSbody/RSitem/rawCode/color) 0-1
country	code of the nation - base type: string, cod. table: T10 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml (XPath RAWOrdStatus/TShheader/buyer/country) 0-1 (XPath RAWOrdStatus/TShheader/supplier/country) 0-1
@dateForm	format used for the date - base type: string, cod. table: NT29 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml (XPath RAWOrdStatus/RSbody/RSitem/refDoc/docDate/@dateForm) [Optional] (XPath RAWOrdStatus/TShheader/refDoc/docDate/@dateForm) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/progress/delGrantedDate/@dateForm) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/progress/deliveryDate/@dateForm) [Optional] (XPath RAWOrdStatus/TShheader/msgDate/@dateForm) [Optional]
delGrantedDate	effective granted date of delivery of goods; in case of doubt delivery must be understood as the event when the ownership of goods is transferred, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string, (XPath RAWOrdStatus/RSbody/RSitem/progress/delGrantedDate) 0-1
deliveryDate	date of delivery of goods, requested or promised in the purchase process, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string, (XPath RAWOrdStatus/RSbody/RSitem/progress/deliveryDate) 0-1
dept	name or code of a contact department within a Party - base type: string, max length: 40, (XPath RAWOrdStatus/TShheader/buyer/dept) 0-1 (XPath RAWOrdStatus/TShheader/supplier/dept) 0-1
description	free text description. The content of the element must be unique, it might be translated and repeated into more languages (thus no more than one instance for each language). - base type: string, max length: 250, (XPath RAWOrdStatus/RSbody/RSitem/rawCode/description) 0-unbounded - note: <i>Raw material description</i>
docDate	date of issue of the referenced document, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string, (XPath RAWOrdStatus/RSbody/RSitem/refDoc/docDate) 0-1 (XPath RAWOrdStatus/TShheader/refDoc/docDate) 0-1
docID	identification number of the referenced document SINCE 2008-1 ITS USE IN THE HEADER IS DISCOURAGED (REPLACED BY msgID) - base type: string, max length: 80, (XPath RAWOrdStatus/TShheader/docID) 0-1 (XPath RAWOrdStatus/TShheader/refDoc/docID) 1-2 (XPath RAWOrdStatus/RSbody/RSitem/refDoc/docID) 1-2
@docType	type or class to which the referenced document belongs - base type: string, cod. table: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml

	(XPath RAWOrdStatus/TShheader/refDoc/@docType) [Required] (XPath RAWOrdStatus/RSbody/RSitem/refDoc/@docType) [Required]
@email	electronic mail address of the contact person within a Party - base type: string, max length: 250, (XPath RAWOrdStatus/TShheader/buyer/person/@email) [Optional] (XPath RAWOrdStatus/TShheader/supplier/person/@email) [Optional]
@encoding	specifies the decoding algorithm of the binary object - base type: normalizedString, (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/binaryObject/@encoding) [Optional] (XPath RAWOrdStatus/TShheader/refDoc/attachment/binaryObject/@encoding) [Optional]
encodingCode	the encoding/decoding algorithm used with the external object - base type: normalizedString, (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/externalReference/encodingCode) 0-1 (XPath RAWOrdStatus/TShheader/refDoc/attachment/externalReference/encodingCode) 0-1
@fax	fax number of the contact person within a Party - base type: string, max length: 35, (XPath RAWOrdStatus/TShheader/buyer/person/@fax) [Optional] (XPath RAWOrdStatus/TShheader/supplier/person/@fax) [Optional]
fileName	unique identifier (name) of the file - base type: string, max length: 255, (XPath RAWOrdStatus/TShheader/refDoc/attachment/fileName) 0-1 (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/fileName) 0-1
@format	the format of the binary content - base type: string, (XPath RAWOrdStatus/TShheader/refDoc/attachment/binaryObject/@format) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/binaryObject/@format) [Optional]
formatCode	the format of the external object - base type: normalizedString, (XPath RAWOrdStatus/TShheader/refDoc/attachment/externalReference/formatCode) 0-1 (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/externalReference/formatCode) 0-1
id	primary identification code of a Party; it is recommended the format: nation code (ISO 3166) + VAT identification number (11 crt), with the qualifier "numberingOrg"= MF - base type: string, max length: 15, (XPath RAWOrdStatus/TShheader/buyer/id) 1-1 (XPath RAWOrdStatus/TShheader/supplier/id) 1-1
@idQualifier	Qualification of the identifier. - base type: string, (XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList/itemIdentification/serialN/@idQualifier) [Optional] - nota: this attribute should be used when the numberingOrg attribute is not enough to declare the type of serial identifier (XPath RAWOrdStatus/TShheader/buyer/additionalIdentifier/@idQualifier) [Optional] - nota: this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier (XPath RAWOrdStatus/TShheader/supplier/additionalIdentifier/@idQualifier) [Optional]] - nota: this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier

@isURL	it indicates if the referred element is an URL (true) or not (false) - base type: boolean, (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath RAWOrdStatus/TShheader/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i>
itemID	number of the line/item of the referenced document - base type: string, max length: 6, (XPath RAWOrdStatus/RSbody/RSitem/refDoc/itemID) 0-1 (XPath RAWOrdStatus/TShheader/refDoc/itemID) 0-1
legalName	legal name of a Party - base type: string, max length: 250, (XPath RAWOrdStatus/TShheader/supplier/legalName) 0-1 (XPath RAWOrdStatus/TShheader/buyer/legalName) 0-1
lineN	number of the line item of the present message (xml document); it is set by the role that produces the document. Usually it is a progressive number, but not always. - base type: positiveInteger, min inclusive: 1, max inclusive: 9999, (XPath RAWOrdStatus/RSbody/RSitem/lineN) 1-1
@listName	the name of the list of codes used to make an instance of the element (it might be thought as descriptive element, i.e. 'fabric printing technologies', or not, i.e. "T264") - base type: string, max length: 40, (XPath RAWOrdStatus/RSbody/RSitem/refDoc/season/@listName) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList/qualityLevel/@listName) [Optional] (XPath RAWOrdStatus/TShheader/refDoc/season/@listName) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/rawCode/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with "numberingOrg"</i> (XPath RAWOrdStatus/RSbody/RSitem/rawCode/art/@listName) [Optional] - nota: <i>this attribute should always be used coupled with "numberingOrg"</i>
@listVersion	it specifies the version of the list of codes used to make an instance of the element - base type: string, max length: 6, (XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList/qualityLevel/@listVersion) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/rawCode/color/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with "numberingOrg" and "listName"</i> (XPath RAWOrdStatus/TShheader/refDoc/season/@listVersion) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/refDoc/season/@listVersion) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/rawCode/art/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with "numberingOrg" and "listName"</i>
@ln	Language code. - base type: string, (XPath RAWOrdStatus/RSbody/RSitem/rawCode/description/@ln) [Optional]
@logo	company logo (URL of the image jpeg or gif). It is recommended that the width of the image does not exceed 640 pixel. - base type: string, max length: 255, (XPath RAWOrdStatus/TShheader/supplier/@logo) [Optional] (XPath RAWOrdStatus/TShheader/buyer/@logo) [Optional]
mfrStatus	code of the manufacturing stage used to describe the progress in the production cycle - base type: string, cod. table: T7 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T7.xml

	(XPath RAWOrdStatus/Rbody/RSitem/progress/mfrStatus) 0-1
mfrStatusText	free text description of the manufacturing stage used to specify the progress in the production cycle - base type: string, max length: 250, (XPath RAWOrdStatus/Rbody/RSitem/progress/mfrStatusText) 0-1
@mime	the mime type of the binary object - base type: normalizedString, (XPath RAWOrdStatus/Rbody/RSitem/refDoc/attachment/binaryObject/@mime) [Optional] (XPath RAWOrdStatus/TSheader/refDoc/attachment/binaryObject/@mime) [Optional]
mimeCode	mime type of the external object - base type: normalizedString, (XPath RAWOrdStatus/TSheader/refDoc/attachment/externalReference/mimeCode) 0-1 (XPath RAWOrdStatus/Rbody/RSitem/refDoc/attachment/externalReference/mimeCode) 0-1
msgDate	date of issue of the present message (xml document), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string, (XPath RAWOrdStatus/TSheader/msgDate) 1-1
@msgfunction	function performed by the present message with regards to the transmission - base type: string, cod. table: NT18 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT18.xml (XPath RAWOrdStatus/@msgfunction) [Optional] [Default= OR]
msgID	key identifier of the business document in the information system of the issuing Party. In case of more despatches of the same business document, it is unchanged. - base type: string, max length: 35, (XPath RAWOrdStatus/TSheader/msgID) 0-1
msgN	identification number given to the message (xml document) by its issuer. In case of more despatches of the same business document, it changes. - base type: string, max length: 35, (XPath RAWOrdStatus/TSheader/msgN) 1-1
note	free text or structured (computer processing) note. For note structuring use the attributes "noteLabel" and "codelist" - base type: string, max length: 350, (XPath RAWOrdStatus/TSheader/note) 0-99
@noteLabel	subject qualifier of a note - base type: string, max length: 35, (XPath RAWOrdStatus/TSheader/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i>
@numberingOrg	code specifying the organisation who has created or owns the coding or numbering system - base type: string, cod. table: NT6 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml (XPath RAWOrdStatus/Rbody/RSitem/rawCode/@numberingOrg) [Optional] (XPath RAWOrdStatus/Rbody/RSitem/rawCode/art/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath RAWOrdStatus/Rbody/RSitem/rawCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath RAWOrdStatus/TSheader/docID/@numberingOrg) [Optional] - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i>

	<p>(XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList/qualityLevel/@numberingOrg) [Optional] (XPath RAWOrdStatus/TShheader/note/@numberingOrg) [Optional] (XPath RAWOrdStatus/TShheader/buyer/additionalIdentifier/@numberingOrg) [Optional] - nota: here the issuer of the identifier must be specified (XPath RAWOrdStatus/TShheader/refDoc/attachment/fileName/@numberingOrg) [Optional] (XPath RAWOrdStatus/TShheader/refDoc/season/@numberingOrg) [Optional] (XPath RAWOrdStatus/TShheader/supplier/additionalIdentifier/@numberingOrg) [Optional] - nota: here the issuer of the identifier must be specified (XPath RAWOrdStatus/TShheader/supplier/id/@numberingOrg) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/refDoc/season/@numberingOrg) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList/itemIdentification/serialN/@numberingOrg) [Optional] - nota: here the issuer of the serial number must be specified (when different from the Supplier) (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/fileName/@numberingOrg) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/rawCode/added/@numberingOrg) [Optional] (XPath RAWOrdStatus/TShheader/refDoc/docID/@numberingOrg) [Optional] - nota: here can be specified whose document numbering is used (e.g.: Client, Supplier, ..) (XPath RAWOrdStatus/TShheader/buyer/id/@numberingOrg) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/refDoc/docID/@numberingOrg) [Optional] - nota: here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</p>
person	<p>name of the contact person within a Party - base type: string, max length: 40, (XPath RAWOrdStatus/TShheader/buyer/person) 0-1 (XPath RAWOrdStatus/TShheader/supplier/person) 0-1</p>
@phone	<p>phone number of the contact person within a Party - base type: string, max length: 35, (XPath RAWOrdStatus/TShheader/buyer/person/@phone) [Optional] (XPath RAWOrdStatus/TShheader/supplier/person/@phone) [Optional]</p>
postCode	<p>code defining the postal zone - base type: string, max length: 10, (XPath RAWOrdStatus/TShheader/supplier/postCode) 0-1 (XPath RAWOrdStatus/TShheader/buyer/postCode) 0-1</p>
qty	<p>net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering, ..) and by the context - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath RAWOrdStatus/RSbody/RSitem/progress/qty) 1-2</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en</p>
qualityLevel	<p>the product quality level (first choice, second choice,...). - base type: string, (XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList/qualityLevel) 0-1</p>
season	<p>sale season; defined as: season (1 crt) + year (4 crt) - season: S/S=1 A/W=2 Spring=3 Summer=4 Autumn=5 Winter=6: for more than four seasons use alphabetic sequence: 1st season=A 2nd season=B etc.etc. - base type: string, max length: 15, (XPath RAWOrdStatus/RSbody/RSitem/refDoc/season) 0-1 - note: here indicates the season to which the referenced document belongs (XPath RAWOrdStatus/TShheader/refDoc/season) 0-1 - note: here indicates the season to which the referenced document belongs</p>
@sender	<p>qualifier that specifies the Party issuing of the document - base type: boolean,</p>

	<p>(XPath RAWOrdStatus/TShheader/supplier/@sender) [Optional] - nota: <i>This attribute is mandatory when the STYLESHEET must be used</i> (XPath RAWOrdStatus/TShheader/buyer/@sender) [Optional] - nota: <i>This attribute is mandatory when the STYLESHEET must be used</i></p>
serialN	<p>serial number used for the identification of a physical unit - base type: string, max length: 250, (XPath RAWOrdStatus/RSbody/RSitem/progress/itemsList/ itemIdentification/serialN) 1-9</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en - note: <i>multiple values of serialN are allowed for different representations of the serial identifier of the same product unit. Instances of serialN must differ at least for one value of numberingOrg and idQualifier.</i></p>
street	<p>street and building number identifying a location - base type: string, max length: 80, (XPath RAWOrdStatus/TShheader/supplier/street) 0-1 (XPath RAWOrdStatus/TShheader/buyer/street) 0-1</p>
subCountry	<p>short name or code of the sub-country entity - base type: string, max length: 9, (XPath RAWOrdStatus/TShheader/supplier/subCountry) 0-1 (XPath RAWOrdStatus/TShheader/buyer/subCountry) 0-1</p>
subDept	<p>name or code of a contact department within a Party - base type: string, max length: 40, (XPath RAWOrdStatus/TShheader/buyer/subDept) 0-1 (XPath RAWOrdStatus/TShheader/supplier/subDept) 0-1</p>
@TStype	<p>type of Order status report - base type: string, cod. table: NT8 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT8.xml (XPath RAWOrdStatus/@TStype) [Optional]</p>
@uid	<p>unique element identifier within the xml document - base type: string, (XPath RAWOrdStatus/TShheader/refDoc/attachment/@uid) [Optional] (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/@uid) [Optional]</p>
@um	<p>specification of the unit of measure - base type: string, cod. table: NT7 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml (XPath RAWOrdStatus/RSbody/RSitem/progress/qty/@um) [Required]</p>
uri	<p>Uniform Resource Identifier (URI) that identifies the external object as an Internet resource - base type: normalizedString, (XPath RAWOrdStatus/RSbody/RSitem/refDoc/attachment/ externalReference/uri) 1-1 (XPath RAWOrdStatus/TShheader/refDoc/attachment/ externalReference/uri) 1-1</p>
@useProfile	<p>use profile to which the present document is compliant if it was agreed by the parties. It is suggested a URI with reference to the firms or the URL of the profile. - base type: string, (XPath RAWOrdStatus/@useProfile) [Optional]</p>
@VAT	<p>VAT rate or code (DEPRECATED, use dtScheme element) - base type: string, cod. table: NT16 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT16.xml (XPath RAWOrdStatus/RSbody/RSitem/lineN/@VAT) [Optional] - nota: <i>Deprecated, prefer dtScheme when available.</i></p>
@version	<p>Dictionary version from which the instance has been created - base type: string, cod. table: NT100 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml (XPath RAWOrdStatus/@version) [Optional] [Default= draft]</p>

2.3 Suggested best practices

RAWOrdStatus/RSbody/RSitem/progress/qty (net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering, ..) and by the context)

this element can have two instances only if the units of measure are different

RAWOrdStatus/RSbody/RSitem/progress/itemsList/

itemIdentification/serialN (serial number used for the identification of a physical unit)

in the case of garment with RFID for anti-counterfeiting, RFID EPCGlobal for logistics and NFC for the customer experience there should be three serial elements with pairs of attributes numberingOrg/idQualifier: "CL"/"RFID", "GS1"/"RFID", "CL"/"NFC".

2.4 Enumeration tables

List of enumeration tables used in the XML document. You can find the corresponding codes at:
<http://www.ebiz-tcf.eu/moda-ml/imple/moda-ml-draft.asp?lingua=en&pag=6>

NT100 - eBIZ TCFUpstream version

NT16 - VAT rate or code

NT18 - message function

NT29 - format of a date

NT6 - coding system owner/issuer

NT7 - unit of measure

NT8 - Order status type

T10 - ISO3166 - Country

T21 - type of document

T44 - additional code type

T7 - manufacturing status

ACKNOWLEDGEMENT



This action is part of the eBIZ-4.0 project, which has received funding from the European Union's COSME Programme (2014 - 2020).




DISCLAIMER


The content of this document represents the views of the authors only and is their sole responsibility; it cannot be considered to reflect the views of the European Commission and/or the Executive Agency for Small and Medium-sized Enterprises (EASME) or any other body of the European Union.

The European Commission and the Agency do not accept any responsibility for use that may be made of the information it contains.

Annex A

Representative images of the principal complex elements' structure.





Annex B

NT100 - eBIZ TCFUpstream version

dictionary version

Agency name: eBIZ

tabella cod.: NT100

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml

Code	Description	Adoption note	Date of insertion
2013-1	v2013-1		01/07/2013
2018-1	v2018-1		04/11/2018
draft	draft		08/09/2017

NT16 - VAT rate or code

VAT rate or code (DEPRECATED, use dtScheme element)

tabella cod.: NT16

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT16.xml

NT18 - message function

function performed by the present message with regards to the transmission

Agency name: eBIZ

tabella cod.: NT18

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT18.xml

Code	Description	Adoption note	Date of insertion
CA	delete this document		01/07/2013
CP	copy		
OR	original		
RC	re-transmission for data correction		
RT	re-transmission		

NT29 - format of a date

format used for the date

Agency name: eBIZ

tabella cod.: NT29

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml

Code	Description	Adoption note	Date of insertion
D	YYYY-MM-DD		
M	YYYY-MM-DD:HH-MM		
W	YYYY-WW		

NT6 - coding system owner/issuer

code specifying the organisation who has created or owns the coding or numbering system

Agency name: eBIZ

tabella cod.: NT6

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml

Code	Description	Adoption note	Date of insertion
CL	Customer/buyer		
CO	Quality Controller		
EN	GS1 (ex-EAN International)		
ES	e-Stockflow		
FO	Supplier		
GS	GS1		01/07/2013
MF	VAT identifier		
ML	Moda-ML		
SP	Service Provider		

NT7 - unit of measure

specification of the unit of measure, it is a sub set of table Unit of Measure Code - UN/ECE REC 20 delivered by United Nations Economic Commission for Europe (UN/ECE)

Agency name: eBIZ / UN/ECE

tabella cod.: NT7

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml

Other link: <http://docs.oasis-open.org/ubl/os-UBL-2.1/cl/gc/default/UnitOfMeasureCode-2.1.gc#>

Code	Description	Adoption note	Date of insertion
------	-------------	---------------	-------------------

CMK	square centimetre		20/12/2017
CMQ	cubic centimetre		20/12/2017
CMT	centimetre		
CNE	centiNewton		
CO2TON	ton of CO2		10/09/2014
COUPLES	couples		
DMQ	cubic decimetre		
E37	pixel		11/04/2018
GRM	gram		
HUR	hour		
INH	inch		
KGM	kilogram		
KMT	kilometer		
KWH	kilowatthours		10/09/2014
LBR	pound		
MIN	minute		
MMK	centimetre		20/12/2017
MMK	square millimetre		20/12/2017
MTK	square metre		20/12/2017
MTQ	cubic metre		
MTR	metre		
NMB	numero		
ONZ	ounce		
P1	percent		
PPM	parts per milion		
PZ	piece		
RPM	rounds per metre		
YRD	yard		

NT8 - Order status type

type of Order status report

Agency name: eBIZ

tabella cod.: NT8

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT8.xml

Code	Description	Adoption note	Date of insertion
C	complete		
H	historic (whole season)		
I	incremental (only status changes)		01/07/2013
S	despatchables only		

T10 - ISO3166 - Country

code of the nation

Agency name: ISO

tabella cod.: T10

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml

Table not printed: there are 239 elements, more than the maximum specified for printing: 99.

T21 - type of document

type or class to which the referenced document belongs

Agency name: eBIZ

tabella cod.: T21

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml

Code	Description	Adoption note	Date of insertion
BOR	blanket order		01/02/2018
CAT	Price catalogue - tech sheet		
CEO	Certificate of origin		13/04/2018
CER	Certificate		13/04/2018
COC	colour card		
CRN	Credit note		08/09/2017
CTO	Checking order		01/07/2013
CTR	Contract		
CXF	CxF3 file		01/07/2013
DAD	Darn order		
DDT	ddt		
DEA	Despatch advise		
DER	Despatch request		

DR	Document Request		02/12/2014
FOR	Forecast		02/12/2014
GSO	Garment stock offer		
GSX	Garment stock offer change		
INV	Invoice		
KCC	Knitting-Clothing Commission Order		02/12/2014
KCI	Garment in Work Inventory Report		02/12/2014
M2M	Made to Measure Production Order		02/12/2014
MAS	Master marker		
MCI	Visual merchandising instruction		13/04/2018
OCH	Order change		
OFF	Offer		
ORD	Purchase order		
ORP	Order response		
OSR	order status request		
OSS	Offer status		02/12/2014
OST	Order status		
OUR	our reference		
QR	Quality Report		02/12/2014
RAI	Raw Material in Work Inventory Report		02/12/2014
RDC	Raw dyeing commission order		
RDH	Raw dyeing order change		
RDR	Raw dyeing order response		
REA	Receiving advise		
REQ	Request for Offer		
RET	Return		02/12/2014
RSC	Spinning commission order		
RSH	Spinning order change		
RSR	Spinning order response		
SCL	process sheet		
TFC	Textile dyeing-finishing commission order		
TFX	Textile Dyeing-Finishing Order Change		02/12/2014
TPC	Textile printing commission order		
TPX	Textile Printing Order Change		02/12/2014
TWI	Textile in work inventory		

VMI	visual merchandising instructions		01/02/2018
WAC	Warping commission order		
WEC	Weaving commission order		
YDC	Yarn dyeing commission order		
YDH	Yarn dyeing order change		
YDR	Yarn dyeing order response		
YTC	Twisting commission order		
YWI	Yarn in work inventory		

T44 - additional code type

qualifier of the additional coding of a product

Agency name: eBIZ

tabella cod.: T44

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml

Code	Description	Adoption note	Date of insertion
CC	colour card		
CL	sales collection		
CO	company identification code		08/09/2017
DY	dye number		
LT	lot number		
MDI	Made in		08/09/2017
MS	manufacturing state		
PKG	packaging		09/09/2014
PL	product line		
RGB	RGB value		
SE	selvedge code		

T7 - manufacturing status

code of the manufacturing stage used to describe the progress in the production cycle

Agency name: eBIZ

tabella cod.: T7

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T7.xml

Code	Description	Adoption note	Date of insertion
000	to be launched		
001	launched		01/07/2013
010	knitted		
020	packed		
090	preparing		01/07/2013
095	prepared		01/07/2013
100	warping		
199	warped		
200	weaving		
299	woven		
300	dyeing		
399	dyed		
400	finishing		
499	finished		
500	printing		
599	printed		
600	darning		
640	preparing for printing		01/07/2013
650	prepared for printing		01/07/2013
660	checking		01/07/2013
670	checked		01/07/2013
700	spinning		
799	spun		
800	twisting		
899	twisted		
900	despatch-ready		
950	despatched		
999	other, see note if any		01/07/2013