



<http://www.ebiz-tcf.eu>

DRAFT

IMPLEMENTATION GUIDE

TRANSACTION "YARN DYEING COMMISSION ORDER"

Version: draft

Date of release: 17/5/2019

Document code: G021

technical Documentation: <http://www.ebiz.enea.it>

XML Schemas repository: <http://www.ebiz.enea.it/moda-ml/repository/schema/draft/default.asp>

Guides repository: <http://www.ebiz.enea.it/moda-ml/repository/guide/draft/default.asp>

Guide filename: G021-eBIZ-YarnDyeingCommissionOrder.pdf

0. PREMISE

This document contains a proposal for the updating and extension of eBIZ specifications starting from the eBIZ version released as CEN CWA 16667 in 2013. Under the name of 'Draft version' it is reported the result of an extensive work of analysis and consultation aimed at developing and maintaining eBIZ specifications.

In particular, the content of this proposal is the result of various activities, mainly those carried out within the framework of the **eBIZ 4.0 project** funded by the European Commission, call COS-DESIGN-2015-3-06, topic COS-2015-DESIGN-2.

The technical contents are backwards compatible with the latest official published version.

1. BUSINESS DESCRIPTION

1.1 Scope

The present guide has been issued to assist the companies of the Textile-Clothing sector in the implementation of the standard XML document type "YARN DYEING COMMISSION ORDER", providing all the instruction required for its use in the context of e-commerce between Yarn Subcontractors and their Customers shown in the enclosed diagram

All the rules required for the construction and validation of the document are embedded into the specific XML-Schema, which is detailed in section "Implementation guide".

1.2 Generalities

The Yarn Dyeing commission order is used by a Yarn Producer to commit to a Subcontractor the dyeing of yarn required to transform the material into yarn usable for fabric production. This work order can include one or several operations of the dyeing cycle.

When the Issuer of the Commission requires different manufacturing operations in sequence to different Subcontractors, he can use this document not only as work order but also as a despatch order to send the semi-finished product to a successive Subcontractor


As a general rule, the Yarn dyeing commission order specifies only the manufacturing technology (if required) and the characteristics of the end product of each operation and specifies the components used to manufacture that product

It must be noted that this end product can be, in turn, a component for a successive manufacturing operation

The definition of any "manufacturing parameters" is left to the Subcontractor; sometimes however these parameters can be specified by the Issuer of the Commission itself, that can define machines and machine parameters in the Commission Order

1.3. Possible scenario

Subcontracted yarn dyeing



2. IMPLEMENTATION GUIDE

2.1 General structure of XML document

All the business data that can be exchanged through this class of documents are shown in the following "document structure", that provides a simplified vision of the Schema.

In particular:

- the two numbers following each element define its "cardinality" (minimum and maximum number of occurrences); the minimum equal zero indicates that the element is optional, the minimum greater than zero indicates that is mandatory;
- the bold character denotes the complex elements (aggregates of simple elements) that were built for the sake of functionality and re-usability of some complex informations sets. The child elements in each parent element are easily spotted as "indented";
- the symbol "@" denotes an attribute of the preceding element; here "the usage indicator (optional, required, ...)" is shown in square brackets.

Structure

YARNDyeOrder

@msgfunction [Optional] [Default= OR]

@version [Optional] [Default= draft]

@useProfile [Optional]

| **YDCOheader 1-1**

| | msgN 1-1

| | - choose -

| | msgID 0-1

| | - or -

| | docID 0-1

| | *@numberingOrg [Optional]*

| | - end choose -

| | msgDate 1-1

| | *@dateForm [Optional]*

| | season 0-1

| | *@numberingOrg [Optional]*

| | *@codeList [Optional]*

| | *@listName [Optional]*

| | *@listVersion [Optional]*

| | msgCurrency 0-1

| | **refDoc 0-9**

| | *@docType [Required]*

| | | docID 1-2

| | | *@numberingOrg [Optional]*

| | | docDate 0-1

| | | *@dateForm [Optional]*

| | | season 0-1

| | | *@numberingOrg [Optional]*

| | | *@codeList [Optional]*

| | | *@listName [Optional]*

| | | *@listVersion [Optional]*

| | | itemID 0-1

| | | **attachment 0-1**

| | | *@uid [Optional]*

| | | | fileName 0-1

| | | | *@numberingOrg [Optional]*

| | | | binaryObject 0-1

| | | | *@format [Optional]*

| | | | *@mime [Optional]*

| | | | *@encoding [Optional]*

| | | | *@characterSet [Optional]*

```

| | | | externalReference 0-99
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | mimeTypeCode 0-1
| | | | | formatCode 0-1
| | | | | encodingCode 0-1
| | | | | characterSetCode 0-1
| | buyer 1-1
| | | @logo [Optional]
| | | @sender [Optional]
| | | | id 1-1
| | | | | @numberingOrg [Optional]
| | | | | additionalIdentifier 0-9
| | | | | @numberingOrg [Optional]
| | | | | @idQualifier [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | | @email [Optional]
| | | | | | @phone [Optional]
| | | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | subContractor 1-1
| | | @sender [Optional]
| | | | id 1-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | | @email [Optional]
| | | | | | @phone [Optional]
| | | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | thirdParty 0-5
| | | @VAT [Optional]
| | | @role [Required]
| | | @sender [Optional]
| | | | id 1-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | | @email [Optional]
| | | | | | @phone [Optional]
| | | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1

```

| | note 0-99
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @noteLabel [Optional]

| **terms 0-1**

| | **payment 0-5**
| | @finDiscount [Optional]
| | @finSurcharge [Optional]
| | - choose -

| | | payTerm 1-1
| | - or -

| | | payTermText 1-1
| | - end choose -

| | | payMode 0-1

| | **insPayment 0-5**

| | @part [Required]

| | - choose -

| | | payTerm 1-1

| | - or -

| | | payTermText 1-1

| | - end choose -

| | | payMode 0-1

| | **trade 0-1**

| | - choose -

| | | incoTermText 1-1

| | - or -

| | | incoTerm 1-1

| | - end choose -

| | | location 0-1

| | | @LRI [Optional]

| | **transInfo 0-5**

| | @transReason [Optional]

| | @progr [Optional]

| | | transMode 1-1

| | | carrier 0-1

| | | deliveryPlace 0-1

| | | grossWeight 0-1

| | | @um [Required]

| | | netWeight 0-1

| | | @um [Required]

| | | transMeans 0-1

| | | transCondition 0-3

| | | transConditionText 0-1

| | | despatchPlace 0-1

| | | despatchDate 0-1

| | | @dateForm [Optional]

| | | delEffectiveDate 0-1

| | | @dateForm [Optional]

| | **allowanceCharge 0-9**

| | @um [Optional]

| | @VAT [Optional]

| | @minQty [Optional]

| | @currency [Optional]

| | @maxQty [Optional]

| | - choose -

| | | AC_category 1-1

| | - or -

| | | AC_categoryText 1-1

| | - end choose -

| | - choose -

```

| | | AC_percent 1-1
| | | - or -
| | | AC_amount 1-1
| | | - end choose -
| | | dtScheme 0-1
| | |   @taxType [Required]
| | |     taxCategory 0-1
| | |     taxRate 0-1
| | |     legalRef 0-1
| | |     @codeList [Required]
| | |     note 0-99
| | |     @numberingOrg [Optional]
| | |     @codeList [Optional]
| | |     @noteLabel [Optional]

```

YDCObody 1-1

```

| | YDCOitem 1-unbounded
| |   @productLevel [Optional] [Default= END]
| |   lineN 1-1
| |   @VAT [Optional]
| |   yarnProd 1-1
| |     @CTest [Optional]
| |     yarnCode 1-1
| |       @numberingOrg [Optional] [Default= CL]
| |         art 1-1
| |         @numberingOrg [Optional]
| |         @codeList [Optional]
| |         @listName [Optional]
| |         @listVersion [Optional]
| |         color 0-1
| |         @numberingOrg [Optional]
| |         @codeList [Optional]
| |         @listName [Optional]
| |         @listVersion [Optional]
| |         added 0-9
| |         @numberingOrg [Optional]
| |         @addType [Optional]
| |         description 0-unbounded
| |         @ln [Optional]
| |     yarnCompos 0-1
| |       percCompos 1-9
| |       @fibre [Required]
| |     yarnSpecs 0-9
| |     - choose -
| |     | yarnCharText 1-1
| |     | - or -
| |     | | yarnChar 1-1
| |     | | - end choose -
| |     | |   experimValue 0-1
| |     | |   @um [Optional]
| |     | |   @method [Optional]
| |     | |   @application [Optional]
| |     | |   @idCO [Optional]
| |     | |   specValue 0-1
| |     | |   @um [Optional]
| |     | |   @source [Optional]
| |     | |   @method [Optional]
| |     | |   @application [Optional]
| |     | |   @CV [Optional]
| |     - choose -
| |     | tolerance 0-2

```

```

| | | | @um [Required]
- or -
| | | | pcTolerance 0-2
| | | | @um [Optional]
- end choose -
| | | | colorCardItem 0-1
| | | | color 1-2
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | CIELab 0-unbounded
| | | | @illuminant [Optional]
| | | | @standardObserver [Optional]
| | | | L 1-1
| | | | a 1-1
| | | | b 1-1
| | | | refDoc 0-1
| | | | @docType [Required]
| | | | docID 1-2
| | | | @numberingOrg [Optional]
| | | | docDate 0-1
| | | | @dateForm [Optional]
| | | | season 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | itemID 0-1
| | | | attachment 0-1
| | | | @uid [Optional]
| | | | fileName 0-1
| | | | @numberingOrg [Optional]
| | | | binaryObject 0-1
| | | | @format [Optional]
| | | | @mime [Optional]
| | | | @encoding [Optional]
| | | | @characterSet [Optional]
| | | | externalReference 0-99
| | | | uri 1-1
| | | | @isURL [Optional] [Default= true]
| | | | mimeTypeCode 0-1
| | | | formatCode 0-1
| | | | encodingCode 0-1
| | | | characterSetCode 0-1
| | | | description 0-unbounded
| | | | @ln [Optional]
lotN 0-1
@numberingOrg [Optional]
dyeN 0-1
@numberingOrg [Optional]
yarnPack 0-1
| | | | yarnReel 1-1
| | | | @reelType [Required]
| | | | @reelMat [Optional]
| | | | yarnReelD 0-1
| | | | @um [Required]
| | | | yarnReelH 0-1
| | | | @um [Required]
| | | | yarnConeAngle 0-1
| | | | yarnReelQty 0-2

```



```

| | | | | @um [Required]
| | | | | label 0-1
| | | | | labelWrit 0-1
| | | | | yarnInWrap 0-1
| | | | | | yarnReelWrap 1-1
| | | | | | label 0-1
| | | | | | labelWrit 0-1
| | | | | - choose -
| | | | | | yarnOutWrapText 0-1
| | | | | - or -
| | | | | | yarnOutWrap 0-1
| | | | | - end choose -
| | | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | | qty 1-2
| | | | | @um [Required]
| | | | | price 0-1
| | | | | @um [Optional]
| | | | | @priceQualifier [Optional] [Default= NET]
| | | | | @currency [Optional]
| | | | | deliveryDate 0-1
| | | | | @dateForm [Optional]
| | | | | thirdParty 0-3
| | | | | @VAT [Optional]
| | | | | @role [Required]
| | | | | @sender [Optional]
| | | | | | id 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | @email [Optional]
| | | | | | @phone [Optional]
| | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1
| | | | | | postCode 0-1
| | | | | yarnComponent 1-9
| | | | | @CQQ [Optional]
| | | | | | pcQty 0-1
| | | | | | @um [Optional]
| | | | | | yarnCode 1-1
| | | | | | @numberingOrg [Optional] [Default= CL]
| | | | | | | art 1-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | | | color 0-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | | | added 0-9
| | | | | | | @numberingOrg [Optional]
| | | | | | | @addType [Optional]

```

```

| | | | description 0-unbounded
| | | | @In [Optional]
| | | | lotN 0-1
| | | | @numberingOrg [Optional]
| | | | dyeN 0-1
| | | | @numberingOrg [Optional]
| | | | qty 1-2
| | | | @um [Required]
| | | | refDoc 0-1
| | | | @docType [Required]
| | | | | docID 1-2
| | | | | @numberingOrg [Optional]
| | | | | docDate 0-1
| | | | | @dateForm [Optional]
| | | | | season 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | itemID 0-1
| | | | | attachment 0-1
| | | | | @uid [Optional]
| | | | | | fileName 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | binaryObject 0-1
| | | | | | @format [Optional]
| | | | | | @mime [Optional]
| | | | | | @encoding [Optional]
| | | | | | @characterSet [Optional]
| | | | | | externalReference 0-99
| | | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | mimeTypeCode 0-1
| | | | | | | formatCode 0-1
| | | | | | | encodingCode 0-1
| | | | | | | characterSetCode 0-1
| | | | location 0-1
| | | | @LRI [Optional]
| | | | warpLetter 0-1
| | | | weftLetter 0-1
| | | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]
| | | | yarnMnfrOperation 1-9
| | | | - choose -
| | | | | jobName 1-1
| | | | - or -
| | | | | yarnJob 1-1
| | | | - end choose -
| | | | | yarnJobTech 0-1
| | | | | refDoc 0-1
| | | | | @docType [Required]
| | | | | | docID 1-2
| | | | | | @numberingOrg [Optional]
| | | | | | docDate 0-1
| | | | | | @dateForm [Optional]
| | | | | | season 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]

```

```

| | | | @listVersion [Optional]
| | | | itemID 0-1
| | | | attachment 0-1
| | | | @uid [Optional]
| | | | | fileName 0-1
| | | | | @numberingOrg [Optional]
| | | | | binaryObject 0-1
| | | | | @format [Optional]
| | | | | @mime [Optional]
| | | | | @encoding [Optional]
| | | | | @characterSet [Optional]
| | | | | externalReference 0-99
| | | | | | uri 1-1
| | | | | | @isURL [Optional] [Default= true]
| | | | | | mimeTypeCode 0-1
| | | | | | formatCode 0-1
| | | | | | encodingCode 0-1
| | | | | | characterSetCode 0-1
| | | | yarnMachine 0-1
| | | | yarnMachineSpecs 0-9
| | | | | yarnMachineParam 1-1
| | | | | specValue 0-1
| | | | | @um [Optional]
| | | | | @source [Optional]
| | | | | @method [Optional]
| | | | | @application [Optional]
| | | | | @CV [Optional]
| | | | - choose -
| | | | | tolerance 0-2
| | | | | @um [Required]
| | | | - or -
| | | | | pcTolerance 0-2
| | | | | @um [Optional]
| | | | - end choose -
| | | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]
| | | | dtScheme 0-1
| | | | @taxType [Required]
| | | | | taxCategory 0-1
| | | | | taxRate 0-1
| | | | | legalRef 0-1
| | | | | @codeList [Required]
| | | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]

```

2.2 Detailed description of document elements

Following tables show all elements (complex and simple) used in this document. Description includes: 1) element's information: xml tag, name, brief description, data type and syntax constraints; 2) information about use of the element in a particular position in the document: xpath and possible associated notes.

2.2.1 Complex elements (Aggregate Business Information Entities)

Complex elements are those elements whose content is composed of other elements (childs). Complex elements are alphabetically ordered.

| | |
|--------------------------|--|
| allowanceCharge | Allowances and Charges related to an Order or a contract (XPath YARNDyeOrder/terms/allowanceCharge) 0-9 |
| attachment | an attached document. An attachment can refer to an external document or be included with the document being exchanged (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment) 0-1 (XPath YARNDyeOrder/YDCOheader/refDoc/attachment) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment) 0-1 |
| buyer | details of the Buyer (party that buys the good or service that is object of the current collaborative process) - base type: Nad, (XPath YARNDyeOrder/YDCOheader/buyer) 1-1 |
| CIELab | color point in the CIELab color space (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/CIELab) 0-unbounded |
| colorCardItem | item of the color card (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem) 0-1 |
| dtScheme | set of data usable to declare the duty or tax applied (XPath YARNDyeOrder/terms/allowanceCharge/dtScheme) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme) 0-1 |
| externalReference | details about an external object, such as a document stored at a remote location (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/externalReference) 0-99 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/externalReference) 0-99 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/externalReference) 0-99 (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/externalReference) 0-99 |
| insPayment | payment details for payment by installments (XPath YARNDyeOrder/terms/insPayment) 0-5 - note: <i>excluded the case of offers, this set of data is alternative to payment set and must be iterated for each payment installment</i> |
| payment | payment details for payment all in one (XPath YARNDyeOrder/terms/payment) 0-5 - note: <i>excluded the case of offers, this set of data is alternative to insPayment, it can be iterated to specify alternative terms of payment (e.g.: 60 days or 30 days with 3% discount)</i> |
| refDoc | identification of a document and of an item thereof, to which the message makes reference |

| | |
|--------------------------|--|
| | <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc) 0-1 - note: <i>here the delivery document can be specified</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc) 0-1 - note: <i>here the CxF3 file can be referenced</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc) 0-1 - note: <i>here a Process Sheet transmitted to the Subcontractor can be referenced</i> (XPath YARNDyeOrder/YDCOheader/refDoc) 0-9</p> |
| subContractor | <p>details of the Sub-contractor - base type: Nad, (XPath YARNDyeOrder/YDCOheader/subContractor) 1-1</p> |
| terms | <p>details of the commercial obligations for payment and delivery (XPath YARNDyeOrder/terms) 0-1</p> |
| thirdParty | <p>details of the Third Party, different from Buyer or Supplier - base type: Nad, (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty) 0-3 - note: <i>here the Party to whom the Subcontractor must send the semi-finished product for subsequent operations can be specified</i> (XPath YARNDyeOrder/YDCOheader/thirdParty) 0-5 - note: <i>here the Party to whom the Subcontractor must send the semi-finished products for subsequent operations can be specified</i></p> |
| trade | <p>general terms of trade for the specified supply (XPath YARNDyeOrder/terms/trade) 0-1</p> |
| transInfo | <p>details of transport: mode, carrier and delivery place (XPath YARNDyeOrder/terms/transInfo) 0-5</p> |
| yarnCode | <p>full codification of a yarn product (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode) 1-1 - note: <i>also intermediate products must be virtually codified</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode) 1-1 - note: <i>here is the code of the component used in the yarn manufacturing operation</i></p> |
| yarnComponent | <p>identification details of a yarn used in a sub-contracted manufacturing operation (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent) 1-9</p> |
| yarnCompos | <p>fibrous composition of a yarn product (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCompos) 0-1</p> |
| yarnInWrap | <p>details specifying the inner wrapping of a yarn product (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnInWrap) 0-1</p> |
| yarnMachineSpecs | <p>technical specifications of a machine used in an operation of a work cycle for yarn (type and settings) (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs) 0-9</p> |
| yarnMnfrOperation | <p>details of a manufacturing operation used for manufacturing a yarn product (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation) 1-9 - note: <i>this block of data can be used to specify either a subcontracted operation or an operation assigned to a shop owned by the issuer of the Manufacturing Order. In this latter case the specifications can be completed with "machine data"</i></p> |
| yarnPack | <p>details of type of presentation used for the yarn (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack) 0-1</p> |
| yarnProd | <p>manufacturing specifications of the product to be obtained from an operation of the sub-contracted production of a yarn (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd) 1-1</p> |

| | |
|-------------------|--|
| yarnReel | details of the packaging of a yarn product (bobbin and reel,..) (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnReel) 1-1 |
| yarnSpecs | technical properties of a yarn product linked to an operation of the sub-contracted production of yarn or to the purchase of yarn (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs) 0-9 - note: <i>here are the specifications referred to the article identified with</i> |
| YDCObody | body of the document YARN DYEING COMMISSION ORDER (XPath YARNDyeOrder/YDCObody) 1-1 |
| YDCOheader | header of the document YARN DYEING COMMISSION ORDER (XPath YARNDyeOrder/YDCOheader) 1-1 |
| YDCOitem | line of the document YARN DYEING COMMISSION ORDER (XPath YARNDyeOrder/YDCObody/YDCOitem) 1-unbounded |

2.2.2 Simple elements (Basic Business Information Entities)

Simple elements are those elements whose content is characterized by a data type plus a domain of possible values. Simple elements are alphabetically ordered.

| | |
|-----------------------------|---|
| a | "a" dimension of the CIELab color system - base type: decimal, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/CIELab/a) 1-1 |
| AC_amount | amount of an Allowance or Charge - base type: decimal, fraction digits: 2, (XPath YARNDyeOrder/terms/allowanceCharge/AC_amount) 1-1 |
| AC_category | coded specification of an Allowance or Charge - base type: string, cod. table: T41 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T41.xml (XPath YARNDyeOrder/terms/allowanceCharge/AC_category) 1-1 |
| AC_categoryText | free text description of an Allowance or Charge - base type: string, max length: 250, (XPath YARNDyeOrder/terms/allowanceCharge/AC_categoryText) 1-1 |
| AC_percent | amount of an Allowance or Charge as a percentage - base type: decimal, max inclusive: 100, fraction digits: 2, (XPath YARNDyeOrder/terms/allowanceCharge/AC_percent) 1-1 |
| added | additional code of the product (complementing the formers) - base type: string, max length: 80, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/added) 0-9 - note: <i>here an additional codification (see table T44) can be specified</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/added) 0-9 - note: <i>here an additional codification (see table T44) can be specified</i> |
| additionalIdentifier | additional identification code of a Party, for example customs registries or others - base type: string, max length: 15, (XPath YARNDyeOrder/YDCOheader/buyer/additionalIdentifier) 0-9 - note: <i>identifiers for example for exports, such as MID (Manufacturer Identification Code), EORI (E.O.R.I. - Economic Operator Registration and Identification)</i> |
| @addType | qualifier of the additional coding of a product - base type: string, cod. table: T44 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml |

| | |
|------------------|--|
| | <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> |
| @application | <p>force or similar condition (e.g. no. of revolutions) applied in a test as specified within the standard</p> <p>- base type: string, max length: 15,</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/specValue/@application) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/experimValue/@application) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/specValue/@application) [Optional]</p> |
| art | <p>article number of the product</p> <p>- base type: string, max length: 80,</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/art) 1-1</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/art) 1-1</p> |
| b | <p>"b" dimension of the CIELab color system</p> <p>- base type: decimal,</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/CIELab/b) 1-1</p> |
| binaryObject | <p>a binary large object containing an attached document</p> <p>- base type: base64Binary,</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/binaryObject) 0-1</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/binaryObject) 0-1</p> <p>(XPath YARNDyeOrder/YDCOheader/refDoc/attachment/binaryObject) 0-1</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/binaryObject) 0-1</p> |
| carrier | <p>identification of the transport carrier</p> <p>- base type: string, max length: 40,</p> <p>(XPath YARNDyeOrder/terms/transInfo/carrier) 0-1</p> |
| @characterSet | <p>the character set of the binary object if the mime type is text</p> <p>- base type: normalizedString,</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath YARNDyeOrder/YDCOheader/refDoc/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/binaryObject/@characterSet) [Optional]</p> |
| characterSetCode | <p>the character set of an external document</p> <p>- base type: normalizedString,</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath YARNDyeOrder/YDCOheader/refDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/externalReference/characterSetCode) 0-1</p> |

| | |
|-----------|---|
| city | <p>name of the city (town, village)</p> <ul style="list-style-type: none"> - base type: string, max length: 40, (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/city) 0-1 (XPath YARNDyeOrder/YDCOheader/subContractor/city) 0-1 (XPath YARNDyeOrder/YDCOheader/thirdParty/city) 0-1 (XPath YARNDyeOrder/YDCOheader/buyer/city) 0-1 |
| @codeList | <p>it specifies the URL where the list of codes used to make an instance of the element can be found</p> <ul style="list-style-type: none"> - base type: string, max length: 255, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/color/@codeList) [Optional] - nota: <i>this attribute could be used as alternative to the others</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/color/@codeList) [Optional] - nota: <i>this attribute could be used as alternative to the others</i> (XPath YARNDyeOrder/YDCOheader/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme/legalRef/@codeList) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/art/@codeList) [Optional] - nota: <i>this attribute should be ALTERNATIVE to the others</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/season/@codeList) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/season/@codeList) [Optional] (XPath YARNDyeOrder/YDCOheader/refDoc/season/@codeList) [Optional] (XPath YARNDyeOrder/terms/allowanceCharge/dtScheme/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath YARNDyeOrder/terms/allowanceCharge/dtScheme/legalRef/@codeList) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/color/@codeList) [Optional] - nota: <i>this attribute could be used as alternative to the others</i> (XPath YARNDyeOrder/YDCOheader/season/@codeList) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/season/@codeList) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/art/@codeList) [Optional] - nota: <i>this attribute should be ALTERNATIVE to the others</i> |
| color | <p>colour number of the product, when not included in the model or fabric code</p> <ul style="list-style-type: none"> - base type: string, max length: 15, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/color) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/color) 1-2 - note: <i>multiple color values allowed if they differ for at least one of the numberingOrg and listName attributes</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/color) 0-1 |

| | |
|------------------|--|
| country | code of the nation - base type: string, cod. table: T10 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml (XPath YARNDyeOrder/YDCOheader/thirdParty/country) 0-1 (XPath YARNDyeOrder/YDCOheader/subContractor/country) 0-1 (XPath YARNDyeOrder/YDCOheader/buyer/country) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/country) 0-1 |
| @CQQ | specifies if the committed quantity can or can not include the loss in weight - base type: string, cod. table: NT37 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT37.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/@CQQ) [Optional] |
| @CTest | indicates the need to execute a colour test before the operation - base type: string, cod. table: NT38 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT38.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/@CTest) [Optional] |
| @currency | currency in which a specified monetary data is expressed - base type: string, cod. table: T9 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml (XPath YARNDyeOrder/terms/allowanceCharge/@currency) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/price/@currency) [Optional] - nota: <i>Currency referred by the price.</i> |
| @CV | coefficient of variation (CV) of a measurement - base type: decimal, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/specValue/@CV) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/specValue/@CV) [Optional] |
| @dateForm | format used for the date - base type: string, cod. table: NT29 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml (XPath YARNDyeOrder/terms/transInfo/delEffectiveDate/@dateForm) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/docDate/@dateForm) [Optional] (XPath YARNDyeOrder/YDCOheader/refDoc/docDate/@dateForm) [Optional] (XPath YARNDyeOrder/YDCOheader/msgDate/@dateForm) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/docDate/@dateForm) [Optional] (XPath YARNDyeOrder/terms/transInfo/despatchDate/@dateForm) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/docDate/@dateForm) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/deliveryDate/@dateForm) [Optional] |
| delEffectiveDate | effective date of delivery of goods (declared in Despatch), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string, (XPath YARNDyeOrder/terms/transInfo/delEffectiveDate) 0-1 |
| deliveryDate | date of delivery of goods, requested or promised in the purchase process, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YY-YY-WW. - base type: string, (XPath YARNDyeOrder/YDCObody/YDCOitem/deliveryDate) 0-1 |
| deliveryPlace | place of delivery of goods, ultimate or related to a given leg - base type: string, max length: 250, (XPath YARNDyeOrder/terms/transInfo/deliveryPlace) 0-1 |
| dept | name or code of a contact department within a Party - base type: string, max length: 40, (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/dept) 0-1 (XPath YARNDyeOrder/YDCOheader/subContractor/dept) 0-1 (XPath YARNDyeOrder/YDCOheader/thirdParty/dept) 0-1 (XPath YARNDyeOrder/YDCOheader/buyer/dept) 0-1 |

| | |
|---------------|---|
| description | <p>free text description. The content of the element must be unique, it might be translated and repeated into more languages (thus no more than one instance for each language).</p> <p>- base type: string, max length: 250, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/description) 0-unbounded</p> |
| despatchDate | <p>date of despatch of goods, requested or promised in the purchase process, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string, (XPath YARNDyeOrder/terms/transInfo/despatchDate) 0-1</p> |
| despatchPlace | <p>place of despatch of goods, origin or related to a given leg</p> <p>- base type: string, max length: 250, (XPath YARNDyeOrder/terms/transInfo/despatchPlace) 0-1</p> |
| docDate | <p>date of issue of the referenced document, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/docDate) 0-1 (XPath YARNDyeOrder/YDCOheader/refDoc/docDate) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/docDate) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/docDate) 0-1</p> |
| docID | <p>identification number of the referenced document SINCE 2008-1 ITS USE IN THE HEADER IS DISCOURAGED (REPLACED BY msgID)</p> <p>- base type: string, max length: 80, (XPath YARNDyeOrder/YDCOheader/refDoc/docID) 1-2 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/docID) 1-2 (XPath YARNDyeOrder/YDCOheader/docID) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/docID) 1-2 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/docID) 1-2</p> |
| @docType | <p>type or class to which the referenced document belongs</p> <p>- base type: string, cod. table: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/@docType) [Required] (XPath YARNDyeOrder/YDCOheader/refDoc/@docType) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/@docType) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/@docType) [Required]</p> |
| dyeN | <p>number of the dyeing batch of a textile product</p> <p>- base type: string, max length: 15, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/dyeN) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/dyeN) 0-1</p> <p>- note: <i>identifier that the Subcontractor is requested to assign to the present dyeing bath - to be used only in the Dyeing Order</i></p> |
| @email | <p>electronic mail address of the contact person within a Party</p> <p>- base type: string, max length: 250, (XPath YARNDyeOrder/YDCOheader/buyer/person/@email) [Optional]</p> |

| | |
|---------------|---|
| | (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/person/@email) [Optional] (XPath YARNDyeOrder/YDCOheader/subContractor/person/@email) [Optional] (XPath YARNDyeOrder/YDCOheader/thirdParty/person/@email) [Optional] |
| @encoding | specifies the decoding algorithm of the binary object - base type: normalizedString, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/binaryObject/@encoding) [Optional] (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/binaryObject/@encoding) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/binaryObject/@encoding) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/binaryObject/@encoding) [Optional] |
| encodingCode | the encoding/decoding algorithm used with the external object - base type: normalizedString, (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/externalReference/encodingCode) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/externalReference/encodingCode) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/externalReference/encodingCode) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/externalReference/encodingCode) 0-1 |
| experimValue | experimental value of the measurement - base type: decimal, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/experimValue) 0-1 |
| @fax | fax number of the contact person within a Party - base type: string, max length: 35, (XPath YARNDyeOrder/YDCOheader/thirdParty/person/@fax) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/person/@fax) [Optional] (XPath YARNDyeOrder/YDCOheader/buyer/person/@fax) [Optional] (XPath YARNDyeOrder/YDCOheader/subContractor/person/@fax) [Optional] |
| @fibre | type of fibre used in a textile product - base type: string, cod. table: T19 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCompos/percCompos/@fibre) [Required] |
| fileName | unique identifier (name) of the file - base type: string, max length: 255, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/fileName) 0-1 (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/fileName) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/fileName) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/fileName) 0-1 |
| @finDiscount | financial discount rate applied for payment by the date specified - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, (XPath YARNDyeOrder/terms/payment/@finDiscount) [Optional] |
| @finSurcharge | financial surcharge rate applied for payment after the date specified - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, (XPath YARNDyeOrder/terms/payment/@finSurcharge) [Optional] |
| @format | the format of the binary content - base type: string, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/binaryObject/@format) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/binaryObject/@format) [Optional] |

| | |
|--------------|--|
| | (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/binaryObject/@format) [Optional] (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/binaryObject/@format) [Optional] |
| formatCode | the format of the external object - base type: normalizedString, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/externalReference/formatCode) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/externalReference/formatCode) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/externalReference/formatCode) 0-1 (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/externalReference/formatCode) 0-1 |
| grossWeight | the gross weight, declared for transport or customs purpose - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNDyeOrder/terms/transInfo/grossWeight) 0-1 |
| id | primary identification code of a Party; it is recommended the format: nation code (ISO 3166) + VAT identification number (11 crt), with the qualifier "numberingOrg"= MF - base type: string, max length: 15, (XPath YARNDyeOrder/YDCOheader/subContractor/id) 1-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/id) 1-1 (XPath YARNDyeOrder/YDCOheader/thirdParty/id) 1-1 (XPath YARNDyeOrder/YDCOheader/buyer/id) 1-1 |
| @idCO | primary identification code of the Party executing the test; it is recommended the format: nation code (ISO 3166) + VAT identification number (11 crt). - base type: string, max length: 15, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/experimValue/@idCO) [Optional] |
| @idQualifier | Qualification of the identifier. - base type: string, (XPath YARNDyeOrder/YDCOheader/buyer/additionalIdentifier/@idQualifier) [Optional] - nota: <i>this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier</i> |
| @illuminant | CIE light source - base type: string, cod. table: T59 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T59.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/CIELab/@illuminant) [Optional] |
| incoTerm | specification of the terms of trade (INCOTERMS) - base type: string, cod. table: T3 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T3.xml (XPath YARNDyeOrder/terms/trade/incoTerm) 1-1 |
| incoTermText | free text specifying the terms of trade (incoterm, location) - base type: string, max length: 250, (XPath YARNDyeOrder/terms/trade/incoTermText) 1-1 |
| @isURL | it indicates if the referred element is an URL (true) or not (false) - base type: boolean, (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true] |

| | |
|-----------|--|
| | <p>- nota: <i>usage of URLs is recommended</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ colorCardItem/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i></p> |
| itemID | <p>number of the line/item of the referenced document</p> <p>- base type: string, max length: 6, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/ refDoc/itemID) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ colorCardItem/refDoc/itemID) 0-1 (XPath YARNDyeOrder/YDCOheader/refDoc/itemID) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/ refDoc/itemID) 0-1</p> |
| jobName | <p>description of the elementary job</p> <p>- base type: string, max length: 40, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/jobName) 1-1</p> |
| L | <p>"L" value of the CIELab color system</p> <p>- base type: decimal, min inclusive: 0, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ colorCardItem/CIELab/L) 1-1</p> |
| label | <p>indicates if the physical object specified has to be labelled</p> <p>- base type: boolean, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ yarnPack/yarnInWrap/label) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ yarnPack/yarnReel/label) 0-1</p> |
| labelWrit | <p>text that must be written on the lable of a specified physical object when its customization is required</p> <p>- base type: string, max length: 350, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ yarnPack/yarnInWrap/labelWrit) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ yarnPack/yarnReel/labelWrit) 0-1</p> |
| legalName | <p>legal name of a Party</p> <p>- base type: string, max length: 250, (XPath YARNDyeOrder/YDCOheader/thirdParty/legalName) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/legalName) 0-1 (XPath YARNDyeOrder/YDCOheader/buyer/legalName) 0-1 (XPath YARNDyeOrder/YDCOheader/subContractor/legalName) 0-1</p> |
| legalRef | <p>legal reference of the duty or tax or fee category</p> <p>- base type: string, (XPath YARNDyeOrder/terms/allowanceCharge/dtScheme/legalRef) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme/legalRef) 0-1</p> |
| lineN | <p>number of the line item of the present message (xml document); it is set by the role that produces the document. Usually it is a progressive number, but not always.</p> <p>- base type: positiveInteger, min inclusive: 1, max inclusive: 9999, (XPath YARNDyeOrder/YDCObody/YDCOitem/lineN) 1-1</p> |
| @listName | <p>the name of the list of codes used to make an instance of the element (it mght be thought as descriptive element, i.e. 'fabric printing technologies', or not, i.e. "T264")</p> <p>- base type: string, max length: 40, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ colorCardItem/color/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with "numberingOrg"</i> (XPath YARNDyeOrder/YDCOheader/season/@listName) [Optional]</p> |

| | |
|--------------|--|
| | <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/color/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/color/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/season/@listName) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/season/@listName) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/art/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath YARNDyeOrder/YDCOheader/refDoc/season/@listName) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/season/@listName) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/art/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> |
| @listVersion | <p>it specifies the version of the list of codes used to make an instance of the element</p> <p>- base type: string, max length: 6,</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/season/@listVersion) [Optional]</p> <p>(XPath YARNDyeOrder/YDCOheader/refDoc/season/@listVersion) [Optional]</p> <p>(XPath YARNDyeOrder/YDCOheader/season/@listVersion) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/season/@listVersion) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/season/@listVersion) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> |
| @ln | <p>Language code.</p> <p>- base type: string,</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/description/@ln) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/description/@ln) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/description/@ln) [Optional]</p> |
| location | <p>specification of a location</p> <p>- base type: string, max length: 40,</p> <p>(XPath YARNDyeOrder/terms/trade/location) 0-1</p> <p>- note: <i>place to which the INCOTERM applies</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/location) 0-1</p> |

| | |
|----------|---|
| | - note: <i>here the storage place of the component can be specified</i> |
| @logo | company logo (URL of the image jpeg or gif). It is recommended that the width of the image does not exceed 640 pixel. - base type: string, max length: 255, (XPath YARNDyeOrder/YDCOheader/buyer/@logo) [Optional] |
| lotN | lot number of a product or batch number of the raw material - base type: string, max length: 15, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/lotN) 0-1 - note: <i>identifier that the Subcontractor is requested to assign to the present production lot</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/lotN) 0-1 |
| @LRI | attribute usable to format a string according to a customized User rule (local rule) - base type: string, cod. table: NT3 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml (XPath YARNDyeOrder/terms/trade/location/@LRI) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/location/@LRI) [Optional] |
| @maxQty | maximum product quantity - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNDyeOrder/terms/allowanceCharge/@maxQty) [Optional] - nota: <i>maximum quantity of product for the application of this allowance or charge</i> |
| @method | standard protocol or method employed in a test to evaluate a characteristic or a parameter - base type: string, max length: 80, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/specValue/@method) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/specValue/@method) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/experimValue/@method) [Optional] - nota: <i>we recommend the specification of the method of measure only when different from the one of the MODA-ML coding system</i> |
| @mime | the mime type of the binary object - base type: normalizedString, (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/binaryObject/@mime) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/binaryObject/@mime) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/binaryObject/@mime) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/binaryObject/@mime) [Optional] |
| mimeCode | mime type of the external object - base type: normalizedString, (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/externalReference/mimeCode) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/externalReference/mimeCode) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/externalReference/mimeCode) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/externalReference/mimeCode) 0-1 |
| @minQty | minimum product quantity - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNDyeOrder/terms/allowanceCharge/@minQty) [Optional] - nota: <i>minimum quantity of product for the application of this allowance or charge</i> |

| | |
|---------------|---|
| msgCurrency | <p>currency used to express the monetary amounts of the message</p> <ul style="list-style-type: none"> - base type: string, cod. table: T9 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml (XPath YARNDyeOrder/YDCOheader/msgCurrency) 0-1 |
| msgDate | <p>date of issue of the present message (xml document), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <ul style="list-style-type: none"> - base type: string, (XPath YARNDyeOrder/YDCOheader/msgDate) 1-1 |
| @msgfunction | <p>function performed by the present message with regards to the transmission</p> <ul style="list-style-type: none"> - base type: string, cod. table: NT18 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT18.xml (XPath YARNDyeOrder/@msgfunction) [Optional] [Default= OR] |
| msgID | <p>key identifier of the business document in the information system of the issuing Party. In case of more despatches of the same business document, it is unchanged.</p> <ul style="list-style-type: none"> - base type: string, max length: 35, (XPath YARNDyeOrder/YDCOheader/msgID) 0-1 |
| msgN | <p>identification number given to the message (xml document) by its issuer. In case of more despatches of the same business document, it changes.</p> <ul style="list-style-type: none"> - base type: string, max length: 35, (XPath YARNDyeOrder/YDCOheader/msgN) 1-1 |
| netWeight | <p>the net weight declared for transport or customs purpose</p> <ul style="list-style-type: none"> - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNDyeOrder/terms/transInfo/netWeight) 0-1 |
| note | <p>free text or structured (computer processing) note. For note structuring use the attributes "noteLabel" and "codelist"</p> <ul style="list-style-type: none"> - base type: string, max length: 350, (XPath YARNDyeOrder/YDCOheader/note) 0-99 (XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme/note) 0-99 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/note) 0-99 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/note) 0-99 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/note) 0-99 (XPath YARNDyeOrder/terms/allowanceCharge/dtScheme/note) 0-99 |
| @noteLabel | <p>subject qualifier of a note</p> <ul style="list-style-type: none"> - base type: string, max length: 35, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath YARNDyeOrder/terms/allowanceCharge/dtScheme/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath YARNDyeOrder/YDCOheader/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> |
| @numberingOrg | <p>code specifying the organisation who has created or owns the coding or numbering system</p> <ul style="list-style-type: none"> - base type: string, cod. table: NT6 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/season/@numberingOrg) [Optional] |

| | |
|--|--|
| | <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/season/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/id/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/terms/allowanceCharge/dtScheme/note/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath YARNDyeOrder/YDCOheader/note/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCOheader/subContractor/id/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/added/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/@numberingOrg) [Optional] [Default= CL]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme/note/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath YARNDyeOrder/YDCOheader/season/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/dyeN/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/season/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/lotN/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/note/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCOheader/refDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCOheader/refDoc/season/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/dyeN/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/note/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCOheader/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/added/@numberingOrg) [Optional]</p> <p>(XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/docID/@numberingOrg) [Optional]</p> |
|--|--|

| | |
|-------------|---|
| | <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/note/@numberingOrg) [Optional] (XPath YARNDyeOrder/YDCOheader/thirdParty/id/@numberingOrg) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/lotN/@numberingOrg) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/fileName/@numberingOrg) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath YARNDyeOrder/YDCOheader/buyer/additionalIdentifier/@numberingOrg) [Optional]</p> <p>- nota: <i>here the issuer of the identifier must be specified</i> (XPath YARNDyeOrder/YDCOheader/buyer/id/@numberingOrg) [Optional] (XPath YARNDyeOrder/YDCOheader/refDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCode/@numberingOrg) [Optional] [Default= CL]</p> |
| @part | <p>percent fraction of a total payment - base type: decimal, min inclusive: 1, max inclusive: 99, fraction digits: 2, (XPath YARNDyeOrder/terms/insPayment/@part) [Required] - nota: <i>here the % value of each installment must be indicated</i></p> |
| payMode | <p>way or means of payment - base type: string, cod. table: T2 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T2.xml (XPath YARNDyeOrder/terms/insPayment/payMode) 0-1 (XPath YARNDyeOrder/terms/payment/payMode) 0-1</p> |
| payTerm | <p>code specifying the terms or time by which the payment must be done - base type: string, cod. table: T1 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T1.xml (XPath YARNDyeOrder/terms/insPayment/payTerm) 1-1 (XPath YARNDyeOrder/terms/payment/payTerm) 1-1</p> |
| payTermText | <p>free text specifying the terms by which the payment must be done (time/mode or means) - base type: string, max length: 250, (XPath YARNDyeOrder/terms/insPayment/payTermText) 1-1 (XPath YARNDyeOrder/terms/payment/payTermText) 1-1</p> |
| pcQty | <p>percent quantity of a raw material or of a specified component in a fabric or in a yarn - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/pcQty) 0-1 - note: <i>percentage of the component in the end product</i></p> |
| pcTolerance | <p>percent deviation tolerated on the value of a measurement (it must have a plus or minus sign) - base type: decimal, min inclusive: 0, max inclusive: 100, total digits: 2, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/pcTolerance) 0-2 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/pcTolerance) 0-2</p> |
| percCompos | <p>fiber rate in the product composition - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnCompos/percCompos) 1-9</p> |
| person | <p>name of the contact person within a Party - base type: string, max length: 40,</p> |

| | |
|-----------------|---|
| | (XPath YARNDyeOrder/YDCOheader/thirdParty/person) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/person) 0-1 (XPath YARNDyeOrder/YDCOheader/subContractor/person) 0-1 (XPath YARNDyeOrder/YDCOheader/buyer/person) 0-1 |
| @phone | phone number of the contact person within a Party - base type: string, max length: 35, (XPath YARNDyeOrder/YDCOheader/buyer/person/@phone) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/person/@phone) [Optional] (XPath YARNDyeOrder/YDCOheader/subContractor/person/@phone) [Optional] (XPath YARNDyeOrder/YDCOheader/thirdParty/person/@phone) [Optional] |
| postCode | code defining the postal zone - base type: string, max length: 10, (XPath YARNDyeOrder/YDCOheader/subContractor/postCode) 0-1 (XPath YARNDyeOrder/YDCOheader/thirdParty/postCode) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/postCode) 0-1 (XPath YARNDyeOrder/YDCOheader/buyer/postCode) 0-1 |
| price | unit price of the article, object or service specified - base type: decimal, min inclusive: 0, fraction digits: 4, (XPath YARNDyeOrder/YDCObody/YDCOitem/price) 0-1 |
| @priceQualifier | type of price with reference to discount and taxes - base type: string, cod. table: NT20 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT20.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/price/@priceQualifier) [Optional] [Default= NET] |
| @productLevel | level of the product (end or intermediate) yielded by an operation in a work cycle - base type: string, cod. table: NT22 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT22.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/@productLevel) [Optional] [Default= END] - nota: <i>the qualifier "intermediate" must be used when the product is also a component in an other line of the same Commission Order</i> |
| @progr | progressive number in the sequence - base type: positiveInteger, min inclusive: 1, (XPath YARNDyeOrder/terms/transInfo/@progr) [Optional] - nota: <i>Indicates the position of the leg in a sequence of transport legs.</i> |
| qty | net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering, ..) and by the context - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/qty) 1-2 <hr/> AAAA-WARNING! - text not AVAILABLE n. 245 - In=en - note: <i>quantity to be consumed in the manufacturing operation</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/qty) 1-2 <hr/> AAAA-WARNING! - text not AVAILABLE n. 245 - In=en |
| @reelMat | type of material of which a package for yarn is made - base type: string, cod. table: T30 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T30.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnReel/@reelMat) [Optional] |
| @reelType | type of package used for a yarn product - base type: string, cod. table: T29 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T29.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnReel/@reelType) [Required] |

| | |
|-------------------|--|
| @role | <p>Third Party role qualifier</p> <ul style="list-style-type: none"> - base type: string, cod. table: NT2 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml (XPath YARNdyeOrder/YDCObody/YDCOitem/thirdParty/@role) [Required] (XPath YARNdyeOrder/YDCOheader/thirdParty/@role) [Required] |
| season | <p>sale season; defined as: season (1 crt) + year (4 crt) - season: S/S=1 A/W=2 Spring=3 Summer=4 Autumn=5 Winter=6: for more than four seasons use alphabetic sequence: 1st season=A 2nd season=B etc.etc.</p> <ul style="list-style-type: none"> - base type: string, max length: 15, (XPath YARNdyeOrder/YDCOheader/refDoc/season) 0-1 - note: <i>here indicates the season to which the referenced document belongs</i> (XPath YARNdyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/season) 0-1 - note: <i>here indicates the season to which the referenced document belongs</i> (XPath YARNdyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/season) 0-1 - note: <i>here indicates the season to which the referenced document belongs</i> (XPath YARNdyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/season) 0-1 - note: <i>here indicates the season to which the referenced document belongs</i> (XPath YARNdyeOrder/YDCOheader/season) 0-1 |
| @sender | <p>qualifier that specifies the Party issuing of the document</p> <ul style="list-style-type: none"> - base type: boolean, (XPath YARNdyeOrder/YDCOheader/thirdParty/@sender) [Optional] - nota: <i>This attribute is mandatory when the STYLESHEET must be used</i> (XPath YARNdyeOrder/YDCOheader/buyer/@sender) [Optional] - nota: <i>This attribute is mandatory when the STYLESHEET must be used</i> (XPath YARNdyeOrder/YDCOheader/subContractor/@sender) [Optional] - nota: <i>This attribute is mandatory when the STYLESHEET must be used</i> (XPath YARNdyeOrder/YDCObody/YDCOitem/thirdParty/@sender) [Optional] - nota: <i>This attribute is mandatory when the STYLESHEET must be used</i> |
| @source | <p>party who has provided the data</p> <ul style="list-style-type: none"> - base type: string, cod. table: NT12 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT12.xml (XPath YARNdyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/specValue/@source) [Optional] (XPath YARNdyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/specValue/@source) [Optional] |
| specValue | <p>value requested for a property or a parameter that is measured</p> <ul style="list-style-type: none"> - base type: decimal, (XPath YARNdyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/specValue) 0-1 (XPath YARNdyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/specValue) 0-1 |
| @standardObserver | <p>CIE average chromatic response definition</p> <ul style="list-style-type: none"> - base type: string, cod. table: T60 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T60.xml (XPath YARNdyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/CIELab/@standardObserver) [Optional] |
| street | <p>street and building number identifying a location</p> <ul style="list-style-type: none"> - base type: string, max length: 80, (XPath YARNdyeOrder/YDCOheader/subContractor/street) 0-1 (XPath YARNdyeOrder/YDCObody/YDCOitem/thirdParty/street) 0-1 (XPath YARNdyeOrder/YDCOheader/thirdParty/street) 0-1 (XPath YARNdyeOrder/YDCOheader/buyer/street) 0-1 |
| subCountry | <p>short name or code of the sub-country entity</p> <ul style="list-style-type: none"> - base type: string, max length: 9, (XPath YARNdyeOrder/YDCObody/YDCOitem/thirdParty/subCountry) 0-1 (XPath YARNdyeOrder/YDCOheader/thirdParty/subCountry) 0-1 (XPath YARNdyeOrder/YDCOheader/subContractor/subCountry) 0-1 (XPath YARNdyeOrder/YDCOheader/buyer/subCountry) 0-1 |

| | |
|--------------------|---|
| subDept | name or code of a contact department within a Party - base type: string, max length: 40, (XPath YARNDyeOrder/YDCOheader/subContractor/subDept) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/subDept) 0-1 (XPath YARNDyeOrder/YDCOheader/thirdParty/subDept) 0-1 (XPath YARNDyeOrder/YDCOheader/buyer/subDept) 0-1 |
| taxCategory | duty or tax or fee category - base type: string, cod. table: T62 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T62.xml (XPath YARNDyeOrder/terms/allowanceCharge/dtScheme/taxCategory) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme/taxCategory) 0-1 |
| taxRate | duty or tax or fee percent rate - base type: string, (XPath YARNDyeOrder/terms/allowanceCharge/dtScheme/taxRate) 0-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme/taxRate) 0-1 |
| @taxType | duty or tax or fee type - base type: string, cod. table: T61 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T61.xml (XPath YARNDyeOrder/terms/allowanceCharge/dtScheme/@taxType) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/dtScheme/@taxType) [Required] |
| tolerance | deviation tolerated on the value of a measurement (it must have a plus or minus sign) - base type: decimal, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/tolerance) 0-2 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/tolerance) 0-2 |
| transCondition | special condition of transport or special service requested to the Forwarder - base type: string, cod. table: T38 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T38.xml (XPath YARNDyeOrder/terms/transInfo/transCondition) 0-3 |
| transConditionText | free text description of the special condition of transport or special service requested to the Forwarder - base type: string, max length: 250, (XPath YARNDyeOrder/terms/transInfo/transConditionText) 0-1 |
| transMeans | means of transport, in general or referred to a specific leg - base type: string, cod. table: T40 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml (XPath YARNDyeOrder/terms/transInfo/transMeans) 0-1 |
| transMode | way of transport, in general or referred to the specified leg - base type: string, cod. table: T8 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml (XPath YARNDyeOrder/terms/transInfo/transMode) 1-1 |
| @transReason | reason for the transport - base type: string, cod. table: NT11 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT11.xml (XPath YARNDyeOrder/terms/transInfo/@transReason) [Optional] |
| @uid | unique element identifier within the xml document - base type: string, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/@uid) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/@uid) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/@uid) [Optional] (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/@uid) [Optional] |

| | |
|--------------------|---|
| <p>@um</p> | <p>specification of the unit of measure - base type: string, cod. table: NT7 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/tolerance/@um) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/tolerance/@um) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/pcTolerance/@um) [Optional] - nota: <i>to be used when it has to be soecified if the declared percentage is by weight, volume, etc...</i> (XPath YARNDyeOrder/terms/allowanceCharge/@um) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/specValue/@um) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/pcTolerance/@um) [Optional] - nota: <i>to be used when it has to be soecified if the declared percentage is by weight, volume, etc...</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnReel/yarnReelQty/@um) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/experimValue/@um) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnReel/yarnReelH/@um) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/qty/@um) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/pcQty/@um) [Optional] - nota: <i>to be used when it has to be soecified if the declared percentage is by weight, volume, etc...</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/qty/@um) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/price/@um) [Optional] - nota: <i>Unit of measure of the product to which the price is referred (price per meter)</i> (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/specValue/@um) [Optional] (XPath YARNDyeOrder/terms/transInfo/netWeight/@um) [Required] (XPath YARNDyeOrder/terms/transInfo/grossWeight/@um) [Required] (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnReel/yarnReelD/@um) [Required]</p> |
| <p>uri</p> | <p>Uniform Resource Identifier (URI) that identifies the external object as an Internet resource - base type: normalizedString, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/refDoc/attachment/externalReference/uri) 1-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/refDoc/attachment/externalReference/uri) 1-1 (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/colorCardItem/refDoc/attachment/externalReference/uri) 1-1 (XPath YARNDyeOrder/YDCOheader/refDoc/attachment/externalReference/uri) 1-1</p> |
| <p>@useProfile</p> | <p>use profile to which the present document if compliant if it was agreed by the parties. It is suggested a URI with reference to the firms or the URL of the profile. - base type: string, (XPath YARNDyeOrder/@useProfile) [Optional]</p> |
| <p>@VAT</p> | <p>VAT rate or code (DEPRECATED, use dtScheme element) - base type: string, cod. table: NT16 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT16.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/lineN/@VAT) [Optional] - nota: <i>Deprecated, prefer dtScheme when available.</i> (XPath YARNDyeOrder/YDCOheader/thirdParty/@VAT) [Optional] (XPath YARNDyeOrder/YDCObody/YDCOitem/thirdParty/@VAT) [Optional] (XPath YARNDyeOrder/terms/allowanceCharge/@VAT) [Optional]</p> |

| | |
|------------------|--|
| @version | Dictionary version from which the instance has been created - base type: string, cod. table: NT100 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml (XPath YARNDyeOrder/@version) [Optional] [Default= draft] |
| warpLetter | letter that indicates a specific yarn in the warping formula (diagram) - base type: string, length: 1, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/warpLetter) 0-1 - note: <i>to be used only in the Warping order</i> |
| weftLetter | letter that indicates a specific yarn in the wefting formula (diagram) - base type: string, length: 1, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/weftLetter) 0-1 - note: <i>to be used only in the Weaving order</i> |
| yarnChar | physical or mechanical parameter used to define a property of a yarn - base type: string, cod. table: T24 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T24.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/yarnChar) 1-1 |
| yarnCharText | free text describing the physical or mechanical parameter used to define a property of a yarn - base type: string, max length: 250, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnSpecs/yarnCharText) 1-1 |
| yarnConeAngle | tapering angle of the cone on which a yarn is reeled - base type: positiveInteger, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnReel/yarnConeAngle) 0-1 |
| yarnJob | operation of a work cycle for yarn - base type: string, cod. table: T201 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T201.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnJob) 1-1 |
| yarnJobTech | operation technology for yarn - base type: string, cod. table: T261 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T261.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnJobTech) 0-1 |
| yarnMachine | machine used in an operation of a work cycle for yarn - base type: string, cod. table: T271 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T271.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachine) 0-1 |
| yarnMachineParam | setting parameter of a machine used in an operation of a work cycle for yarn - base type: string, cod. table: T281 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T281.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnMnfrOperation/yarnMachineSpecs/yarnMachineParam) 1-1 |
| yarnOutWrap | code specifying the type of outer wrapping or packing of a yarn - base type: string, cod. table: T33 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T33.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnOutWrap) 0-1 |
| yarnOutWrapText | free text specifying the type of outer wrapping or packing of a yarn - base type: string, max length: 250, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/yarnPack/yarnOutWrapText) 0-1 |
| yarnReelID | diameter of the bobbin used for a yarn product - base type: decimal, min inclusive: 0, fraction digits: 2, |

| | |
|--------------|---|
| | (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ yarnPack/yarnReel/yarnReelD) 0-1 |
| yarnReelH | height of the bobbin used a yarn product - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ yarnPack/yarnReel/yarnReelH) 0-1 |
| yarnReelQty | quantity of yarn (by weight or length) wound upon a bobbin - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ yarnPack/yarnReel/yarnReelQty) 0-2 |
| yarnReelWrap | type of wrapping in which a package of yarn is wrapped - base type: string, cod. table: T32 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T32.xml (XPath YARNDyeOrder/YDCObody/YDCOitem/yarnProd/ yarnPack/yarnInWrap/yarnReelWrap) 1-1 |

2.3 Suggested best practices

YARNDyeOrder/YDCObody/YDCOitem/yarnComponent/qty (net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering, ..) and by the context)

this element can have two instances only if the units of measure are different

YARNDyeOrder/YDCObody/YDCOitem/qty (net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering, ..) and by the context)

this element can have two instances only if the units of measure are different

2.4 Enumeration tables

List of enumeration tables used in the XML document. You can find the corresponding codes at:
<http://www.ebiz-tcf.eu/moda-ml/imple/moda-ml-draft.asp?lingua=en&pag=6>

NT100 - eBIZ TCFUpstream version
NT11 - transport causal
NT12 - data source
NT16 - VAT rate or code
NT18 - message function
NT2 - third party qualifier
NT20 - price qualifier
NT22 - product type of an operation
NT29 - format of a date
NT3 - data format
NT37 - committed quantity qualifier
NT38 - colour test
NT6 - coding system owner/issuer
NT7 - unit of measure
T1 - terms of payment
T10 - ISO3166 - Country
T19 - fibre type
T2 - Modes of payment
T201 - type of job on yarn
T21 - type of document
T24 - yarn characteristics type
T261 - type of job technology for yarn
T271 - machine type for yarn operation
T281 - parameter type for yarn operation
T29 - type of yarn package
T3 - terms of delivery
T30 - support of yarn package - material
T32 - yarn reel wrapping type
T33 - yarn outer packing
T38 - transport conditions
T40 - type of transport means
T41 - type of Allowance or Charge
T44 - additional code type
T59 - CIE illuminant
T60 - CIE standard observer
T61 - duty or tax or fee type
T62 - duty or tax or fee category
T8 - Modes of Transport
T9 - ISO4217 - Currency

ACKNOWLEDGEMENT



This action is part of the eBIZ-4.0 project, which has received funding from the European Union's COSME Programme (2014 - 2020).




DISCLAIMER



The content of this document represents the views of the authors only and is their sole responsibility; it cannot be considered to reflect the views of the European Commission and/or the Executive Agency for Small and Medium-sized Enterprises (EASME) or any other body of the European Union.

The European Commission and the Agency do not accept any responsibility for use that may be made of the information it contains.


Annex A

Representative images of the principal complex elements' structure.





YDCOItem
 YDCO item:
 line of the
 document YARN
 DYEING
 COMMISSION
 ORDER



Annex B

NT100 - eBIZ TCFUpstream version

dictionary version

Agency name: eBIZ

tabella cod.: NT100

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml

| Code | Description | Adoption note | Date of insertion |
|--------|-------------|---------------|-------------------|
| 2013-1 | v2013-1 | | 01/07/2013 |
| 2018-1 | v2018-1 | | 04/11/2018 |
| draft | draft | | 08/09/2017 |

NT11 - transport causal

reason for the transport

Agency name: eBIZ

tabella cod.: NT11

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT11.xml

| Code | Description | Adoption note | Date of insertion |
|------|-----------------------|---------------|-------------------|
| FOC | free of charge | | |
| FRW | return from re-works | | |
| FST | return from storage | | |
| FWW | return from view | | |
| FWK | return from works | | |
| IST | in storage | | |
| NWK | return non-worked | | |
| RJC | return from rejection | | |
| SEL | to sell | | |
| STO | to storage | | |
| VEW | to view | | |
| WRK | to works | | |

NT12 - data source

party who has provided the data

Agency name: eBIZ

tabella cod.: NT12

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT12.xml

| Code | Description | Adoption note | Date of insertion |
|------|---------------------|---------------|-------------------|
| AC | internal test | | |
| CO | external test | | |
| CV | test after steaming | | |

NT16 - VAT rate or code

VAT rate or code (DEPRECATED, use dtScheme element)

tabella cod.: NT16

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT16.xml

NT18 - message function

function performed by the present message with regards to the transmission

Agency name: eBIZ

tabella cod.: NT18

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT18.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------------------------------|---------------|-------------------|
| CA | delete this document | | 01/07/2013 |
| CP | copy | | |
| OR | original | | |
| RC | re-transmission for data correction | | |
| RT | re-transmission | | |

NT2 - third party qualifier

Third Party role qualifier

Agency name: eBIZ

tabella cod.: NT2

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml

| Code | Description | Adoption note | Date of insertion |
|------|--------------------------------------|---------------|-------------------|
| AG | Sales Agent | | |
| CO | Quality Controller | | |
| DC | Response to | | |
| DF | Invoicee | | |
| DI | Copy to (CC) | | 28/10/2014 |
| DM | Consignee | | |
| DP | Consignment address (Delivery Party) | | |
| IM | Importer | | |
| OR | Originator | | 10/09/2014 |
| SP | Forwarder | | |
| TX | Tax Representative | | |

NT20 - price qualifier

type of price with reference to discount and taxes

Agency name: eBIZ

tabella cod.: NT20

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT20.xml

| Code | Description | Adoption note | Date of insertion |
|------|-----------------------|---------------|-------------------|
| GET | gross excluding taxes | | |
| GIT | gross including taxes | | |
| NET | net excluding taxes | | |
| NIT | net including taxes | | |

NT22 - product type of an operation

level of the product (end or intermediate) yielded by an operation in a work cycle

Agency name: eBIZ

tabella cod.: NT22

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT22.xml

| Code | Description | Adoption note | Date of insertion |
|------|--------------|---------------|-------------------|
| END | end-product | | |
| INT | intermediate | | |

NT29 - format of a date

format used for the date

Agency name: eBIZ

tabella cod.: NT29

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------|---------------|-------------------|
| D | YYYY-MM-DD | | |
| M | YYYY-MM-DD:HH-MM | | |
| W | YYYY-WW | | |

NT3 - data format

format of a string according to a customized User rule (local rule)

Agency name: eBIZ

tabella cod.: NT3

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml

| Code | Description | Adoption note | Date of insertion |
|------|-----------------|---------------|-------------------|
| EN4 | GS1-GLN | | 01/07/2013 |
| MD | mutually agreed | | |

NT37 - committed quantity qualifier

specifies if the committed quantity can or can not include the loss in weight

Agency name: eBIZ

tabella cod.: NT37

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT37.xml

| Code | Description | Adoption note | Date of insertion |
|------|-----------------------------|---------------|-------------------|
| NS | quantity can include losses | | |

| | | | |
|----|---------------------------------|--|--|
| SA | quantity can not include losses | | |
|----|---------------------------------|--|--|

NT38 - colour test

specification of colour test before the operation

tabella cod.: NT38

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT38.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------|---------------|-------------------|
| 1 | only colour test | | |
| 2 | with colour test | | |

NT6 - coding system owner/issuer

code specifying the organisation who has created or owns the coding or numbering system

Agency name: eBIZ

tabella cod.: NT6

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------------------|---------------|-------------------|
| CL | Customer/buyer | | |
| CO | Quality Controller | | |
| EN | GS1 (ex-EAN International) | | |
| ES | e-Stockflow | | |
| FO | Supplier | | |
| GS | GS1 | | 01/07/2013 |
| MF | VAT identifier | | |
| ML | Moda-ML | | |
| SP | Service Provider | | |

NT7 - unit of measure

specification of the unit of measure, it is a sub set of table Unit of Measure Code - UN/ECE REC 20 delivered by United Nations Economic Commission for Europe (UN/ECE)

Agency name: eBIZ / UN/ECE

tabella cod.: NT7

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml

Other link: <http://docs.oasis-open.org/ubl/os-UBL-2.1/cl/gc/default/UnitOfMeasureCode-2.1.gc#>

| Code | Description | Adoption note | Date of insertion |
|---------|-------------------|---------------|-------------------|
| CMK | square centimetre | | 20/12/2017 |
| CMQ | cubic centimetre | | 20/12/2017 |
| CMT | centimetre | | |
| CNE | centiNewton | | |
| CO2TON | ton of CO2 | | 10/09/2014 |
| COUPLES | couples | | |
| DMQ | cubic decimetre | | |
| E37 | pixel | | 11/04/2018 |
| GRM | gram | | |
| HUR | hour | | |
| INH | inch | | |
| KGM | kilogram | | |
| KMT | kilometer | | |
| KWH | kilowatthours | | 10/09/2014 |
| LBR | pound | | |
| MIN | minute | | |
| MMK | centimetre | | 20/12/2017 |
| MMK | square millimetre | | 20/12/2017 |
| MTK | square metre | | 20/12/2017 |
| MTQ | cubic metre | | |
| MTR | metre | | |
| NMB | numero | | |
| ONZ | ounce | | |
| P1 | percent | | |
| PPM | parts per milion | | |
| PZ | piece | | |
| RPM | rounds per metre | | |
| YRD | yard | | |

T1 - terms of payment

code specifying the terms or time by which the payment must be done

Agency name: eBIZ

tabella cod.: T1

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T1.xml

| Code | Description | Adoption note | Date of insertion |
|----------------|--|---------------|-------------------|
| ANTICIP | PAYMENT IN ADVANCE | | |
| BLCOLLECT/120D | BILL OF LADING 120 DD | | |
| BLCOLLECT/30D | BILL OF LADING 30 DD | | |
| BLCOLLECT/60D | BILL OF LADING 60 DD | | |
| BLCOLLECT/90D | BILL OF LADING 90 DD | | |
| CASH | PAYMENT ON DELIVERY | | |
| CASHINV | PAYMENT ON RECEIPT OF INVOICE | | |
| CREDOC/0D | DOCUMENTARY CREDIT FOR PAYM. AT SIGHT | | |
| CREDOC/120 | DOCUMENTARY CREDIT FOR PAYM. AT 120 DD | | |
| CREDOC/150 | DOCUMENTARY CREDIT FOR PAYM. AT 150 DD | | |
| CREDOC/180 | DOCUMENTARY CREDIT FOR PAYM. AT 180 DD | | |
| CREDOC/30D | DOCUMENTARY CREDIT FOR PAYM. AT 30 DD | | |
| CREDOC/45D | DOCUMENTARY CREDIT FOR PAYM. AT 45 DD | | |
| CREDOC/60 | DOCUMENTARY CREDIT FOR PAYM. AT 60 DD | | |
| CREDOC/90 | DOCUMENTARY CREDIT FOR PAYM. AT 90 DD | | |
| DEL/10 | PAYMENT AT 10 DD AFTER DELIVERY | | |
| DOCOLLECT/120D | DOCUMENTARY COLLECTION AT 120 DD | | |
| DOCOLLECT/30D | DOCUMENTARY COLLECTION AT 30 DD | | |
| DOCOLLECT/60D | DOCUMENTARY COLLECTION AT 60 DD | | |
| DOCOLLECT/90D | DOCUMENTARY COLLECTION AT 90 DD | | |
| INV/120D | PAYMENT AT 120 DD AFTER RECEIPT OF INVOICE | | |
| INV/150D | PAYMENT AT 150 DD AFTER RECEIPT OF INVOICE | | |
| INV/180D | PAYMENT AT 180 DD AFTER RECEIPT OF INVOICE | | |
| INV/30D | PAYMENT AT 30 DD AFTER RECEIPT OF INVOICE | | |
| INV/45D | PAYMENT AT 45 DD AFTER RECEIPT OF INVOICE | | |
| INV/60D | PAYMENT AT 60 DD AFTER RECEIPT OF INVOICE | | |
| INV/90D | PAYMENT AT 90 DD AFTER RECEIPT OF INVOICE | | |
| INVULTIMO | PAYMENT AT END MONTH RECEIPT INVOICE | | |
| INVULTIMO/10D | PAYMENT 10 DD AFTER END MONTH RECEIPT INVOICE | | |
| INVULTIMO/120D | PAYMENT 120 DD AFTER END MONTH RECEIPT INVOICE | | |

| | | | |
|----------------|---|--|--|
| INVULTIMO/150D | PAYMENT 150 DD AFTER END MONTH RECEIPT INVOICE | | |
| INVULTIMO/180D | PAYMENT 180 DD AFTER END MONTH RECEIPT INVOICE | | |
| INVULTIMO/240D | PAYMENT 240 DD AFTER END MONTH RECEIPT INVOICE | | |
| INVULTIMO/30D | PAYMENT 30 DD AFTER END MONTH RECEIPT INVOICE | | |
| INVULTIMO/45D | PAYMENT 45 DD AFTER END MONTH RECEIPT INVOICE | | |
| INVULTIMO/60D | PAYMENT 60 DD AFTER END MONTH RECEIPT INVOICE | | |
| INVULTIMO/90D | PAYMENT 90 DD AFTER END MONTH RECEIPT INVOICE | | |
| NOPAY | WITHOUT PAYMENT | | |
| RECREDOC/0D | IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT SIGHT | | |
| RECREDOC/120D | IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 120 DD | | |
| RECREDOC/150D | IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 150 DD | | |
| RECREDOC/180D | IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 180 DD | | |
| RECREDOC/30D | IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 30 DD | | |
| RECREDOC/45D | IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 45 DD | | |
| RECREDOC/60D | IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 60 DD | | |
| RECREDOC/90D | IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 90 DD | | |
| ULTIMO | PAYMENT BY END MONTH OF DELIVERY | | |
| ULTIMO/10 | PAYMENT AT 10 DD AFTER END MONTH OF DELIVERY | | |

T10 - ISO3166 - Country

code of the nation

Agency name: ISO

tabella cod.: T10

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml

Table not printed: there are 239 elements, more than the maximum specified for printing: 99.

T19 - fibre type

type of fibre used in a textile product

Agency name: eBIZ

tabella cod.: T19

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------|---------------|-------------------|
|------|-------------|---------------|-------------------|

| | | | |
|----|--------------------|--|------------|
| AB | abaca | | 20/08/2018 |
| AC | acetate | | |
| AF | other fibres | | |
| AG | alginic fibre | | |
| AL | alfa | | 20/08/2018 |
| CA | hemp | | |
| CC | coir (coconut) | | 20/08/2018 |
| CL | chlorofibre | | |
| CO | cotton | | |
| CU | cuprous | | |
| EA | elastan | | |
| EL | Elastodiene | | 20/08/2018 |
| FL | fluorofibre | | |
| GI | broom | | 20/08/2018 |
| GL | textile glass | | |
| HA | hair | | 20/08/2018 |
| HE | henequen | | 20/08/2018 |
| HL | mixed linen | | |
| HL | cotton linen union | | 20/08/2018 |
| JU | jute | | |
| KE | kenaf | | 20/08/2018 |
| KP | kapoc | | 20/08/2018 |
| LI | linen | | |
| LY | lyocell | | 20/08/2018 |
| MA | modacrylic | | |
| MD | modal | | |
| ME | metallized | | |
| MG | maguey | | 20/08/2018 |
| PA | polyamide | | |
| PB | polyureic | | |
| PC | acrylic | | |
| PE | polyethylene | | |
| PI | paper | | 20/08/2018 |
| PL | polyester | | |
| PM | polyimide | | |

| | | | |
|----|---|--|------------|
| PP | polypropylene | | |
| PR | proteic | | |
| PU | polyurethane | | |
| RA | mamie | | 20/08/2018 |
| SE | silk | | |
| SI | sisal | | 20/08/2018 |
| SN | sun | | 20/08/2018 |
| TA | triacetate | | |
| TR | textile residues or unspecified composition | | 20/08/2018 |
| TV | trivinyll | | |
| VI | viscose | | |
| VY | vinylal | | |
| WA | angora | | |
| WB | beaver | | 20/08/2018 |
| WC | cashgora | | |
| WG | vicuna | | |
| WK | camel | | |
| WL | llama | | |
| WM | mohair | | |
| WN | lapin | | 20/08/2018 |
| WO | wool | | |
| WP | alpaca | | |
| WS | cashmere | | |
| WT | Oteer | | 20/08/2018 |
| WU | guanaco | | |
| WV | virgin wool | | |
| WY | yack | | |

T2 - Modes of payment

way or means of payment

Agency name: eBIZ

tabella cod.: T2

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T2.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------|---------------|-------------------|
|------|-------------|---------------|-------------------|

| | | | |
|----|------------------------------|--|--|
| BB | bank transfer | | |
| IA | collection through Agent | | |
| IS | collection through Forwarder | | |
| RB | bank receipt | | |
| RD | remittance | | |
| SW | bank SWIFT | | |
| TR | bank draft | | |

T201 - type of job on yarn

operation of a work cycle for yarn

Agency name: eBIZ

tabella cod.: T201

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T201.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------|---------------|-------------------|
| 08 | to re-comb | | |
| 09 | to prepare | | |
| 10 | to card | | |
| 11 | to spin | | |
| 12 | to steam | | |
| 13 | to wind | | |
| 14 | doubling | | |
| 15 | to twist | | |
| 16 | to unwind | | |
| 17 | to singe | | |
| 18 | to raise | | |
| 19 | to reel | | |
| 20 | to re-wind | | |
| 21 | to shrink | | |
| 22 | to coat | | |
| 23 | to garnett | | |
| 24 | to print | | |
| 25 | to dye | | |
| 26 | to boil | | |
| 27 | to scour | | |

| | | | |
|----|------------------------|--|------------|
| 28 | to dry | | |
| 99 | other, see note if any | | 01/07/2013 |

T21 - type of document

type or class to which the referenced document belongs

Agency name: eBIZ

tabella cod.: T21

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------------------------|---------------|-------------------|
| BOR | blanket order | | 01/02/2018 |
| CAT | Price catalogue - tech sheet | | |
| CEO | Certificate of origin | | 13/04/2018 |
| CER | Certificate | | 13/04/2018 |
| COC | colour card | | |
| CRN | Credit note | | 08/09/2017 |
| CTO | Checking order | | 01/07/2013 |
| CTR | Contract | | |
| CXF | CxF3 file | | 01/07/2013 |
| DAD | Darn order | | |
| DDT | ddt | | |
| DEA | Despatch advise | | |
| DER | Despatch request | | |
| DR | Document Request | | 02/12/2014 |
| FOR | Forecast | | 02/12/2014 |
| GSO | Garment stock offer | | |
| GSX | Garment stock offer change | | |
| INV | Invoice | | |
| KCC | Knitting-Clothing Commission Order | | 02/12/2014 |
| KCI | Garment in Work Inventory Report | | 02/12/2014 |
| M2M | Made to Measure Production Order | | 02/12/2014 |
| MAS | Master marker | | |
| MCI | Visual merchandising instruction | | 13/04/2018 |
| OCH | Order change | | |
| OFF | Offer | | |

| | | | |
|-----|---|--|------------|
| ORD | Purchase order | | |
| ORP | Order response | | |
| OSR | order status request | | |
| OSS | Offer status | | 02/12/2014 |
| OST | Order status | | |
| OUR | our reference | | |
| QR | Quality Report | | 02/12/2014 |
| RAI | Raw Material in Work Inventory Report | | 02/12/2014 |
| RDC | Raw dyeing commission order | | |
| RDH | Raw dyeing order change | | |
| RDR | Raw dyeing order response | | |
| REA | Receiving advise | | |
| REQ | Request for Offer | | |
| RET | Return | | 02/12/2014 |
| RSC | Spinning commission order | | |
| RSH | Spinning order change | | |
| RSR | Spinning order response | | |
| SCL | process sheet | | |
| TFC | Textile dyeing-finishing commission order | | |
| TFX | Textile Dyeing-Finishing Order Change | | 02/12/2014 |
| TPC | Textile printing commission order | | |
| TPX | Textile Printing Order Change | | 02/12/2014 |
| TWI | Textile in work inventory | | |
| VMI | visual merchandising instructions | | 01/02/2018 |
| WAC | Warping commission order | | |
| WEC | Weaving commission order | | |
| YDC | Yarn dyeing commission order | | |
| YDH | Yarn dyeing order change | | |
| YDR | Yarn dyeing order response | | |
| YTC | Twisting commission order | | |
| YWI | Yarn in work inventory | | |

T24 - yarn characteristics type

physical or mechanical parameter used to define a property of a yarn

Agency name: eBIZ

tabella cod.: T24

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T24.xml

| Code | Description | Adoption note | Date of insertion |
|------|--|---------------|-------------------|
| ALL | elongation | | |
| AMIN | minimum yarn elongation | | |
| CV | CV | | |
| DE | delta E | | |
| NFIN | number of cases diameter less than X% | | |
| NGRO | number of cases diameter greater than X% | | |
| NOD | standard nub | | |
| NOS | Splicer nub | | |
| PLH | H hairiness | | |
| PLL | pilling | | |
| RES | tensile strength | | |
| RMIN | minimum tensile strength | | |
| RTR | shrinkage | | |
| SLA | fastness to light (ISO 105-B02) | | |
| SLB | fastness to water washing (ISO 105-C06) | | |
| SLC | fastness to dry washing (ISO 105-D01) | | |
| SLD | fastness to water drop (ISO 105-E07) | | |
| SLW | fastness to water (ISO 105-E01) | | |
| SLX | fastness to Xeno light (ISO 105-E01) | | |
| STW | S-twist | | |
| TIN | english count | | |
| TMT | metric count | | |
| TTX | tex count | | |
| ZTW | Z-twist | | |

T261 - type of job technology for yarn

operation technology for yarn

Agency name: eBIZ

tabella cod.: T261

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T261.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------------|---------------|-------------------|
| 01 | standard spinning | | |
| 02 | spinning frames | | |
| 03 | compact spinning | | |
| 04 | pims winding | | |
| 05 | cones winding | | |
| 06 | package dyeing | | |
| 07 | hank dyeing | | |
| 08 | | | |
| 09 | reactive dyeing | | |
| 10 | direct dyeing | | |
| 11 | natural dyeing | | |
| 12 | heat sensitive dyeing | | |
| 13 | light sensitive dyeing | | |
| 14 | pigments dyeing | | |
| 15 | shaded dyeing | | |
| 16 | tye and dye | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | acid dyeing | | |
| 21 | pre-metallized dyeing | | |
| 22 | | | |
| 23 | basic dyeing | | |
| 99 | other, see note if any | | 01/07/2013 |

T271 - machine type for yarn operation

machine used in an operation of a work cycle for yarn

Agency name: eBIZ

tabella cod.: T271

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T271.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------------|---------------|-------------------|
| 01 | RIETER | | |
| 02 | ZINZER | | |
| 03 | MURATA | | |
| 04 | SAVIO | | |
| 05 | TEXILMONTAGGIO | | |
| 06 | BIGAGLI | | |
| 07 | GALAN | | |
| 08 | GAUDINO | | |
| 99 | other, see note if any | | 01/07/2013 |

T281 - parameter type for yarn operation

setting parameter of a machine used in an operation of a work cycle for yarn

Agency name: eBIZ

tabella cod.: T281

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T281.xml

| Code | Description | Adoption note | Date of insertion |
|------|----------------|---------------|-------------------|
| 01 | ring diameter | | |
| 02 | package weight | | |
| 03 | yarn clearance | | |

T29 - type of yarn package

type of package (roll-up) used for a yarn product

Agency name: eBIZ

tabella cod.: T29

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T29.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------|---------------|-------------------|
| CIL | bobbin | | |
| CON | cone | | |
| HNK | hank, skein | | 01/07/2013 |
| MUF | muff, cake | | 01/07/2013 |

| | | | |
|-----|-----------|--|--|
| SPL | spool | | |
| TUB | tube | | |
| XCO | supercone | | |

T3 - terms of delivery

specification of the terms of trade (INCOTERMS)

Agency name: Incoterms

tabella cod.: T3

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T3.xml

| Code | Description | Adoption note | Date of insertion |
|------|--|--|-------------------|
| CFR | COST AND FREIGHT (named port of destination) | | |
| CIF | COST, INSURANCE AND FREIGHT (named port of destination) | | |
| CIP | CARRIAGE AND INSURANCE PAID (named place of destination) | | |
| CPA | CARRIAGE PAID (named place of destination) | | |
| DAF | DELIVERED AT FRONTIER (named place) | according to Incoterms® 2010 it is obsolete | 08/12/2017 |
| DAP | Delivered at Place of destination (named place of destination) | according to Incoterms® 2010 | 08/12/2017 |
| DAT | Delivered at Terminal (named place of destination) | according to Incoterms® 2010 | 08/12/2017 |
| DDP | DELIVERED DUTY PAID (named place of destination) | | |
| DDU | DELIVERED DUTY UNPAID (named place of destination) | according to Incoterms® 2010 it is obsolete, use DAP | 08/12/2017 |
| DEQ | DELIVERED EX-QUAY (named port of destination) | according to Incoterms® 2010 it is obsolete | 08/12/2017 |
| DES | DELIVERED EX-SHIP (named port of destination) | according to Incoterms® 2010 it is obsolete | 08/12/2017 |
| EXW | EX WORKS (named place) | | |
| FAS | FREE ALONGSIDE SHIP (named port of shipment) | | |
| FCA | FREE CARRIER (named place) | | |
| FOB | FREE ON BOARD (named port of shipment) | | |

T30 - support of yarn package - material

type of material of which a package for yarn is made

Agency name: eBIZ

tabella cod.: T30

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T30.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------------------|---------------|-------------------|
| CA | cartoon | | |
| DY | for soft package dyeing | | |
| MT | metallic | | 01/07/2013 |
| PL | plastic | | |

T32 - yarn reel wrapping type

type of wrapping in which a package of yarn is wrapped

Agency name: eBIZ

tabella cod.: T32

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T32.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------|---------------|-------------------|
| XA | without bag | | |
| XB | paper bag | | 01/07/2013 |
| XD | plastic film bag | | |

T33 - yarn outer packing

code specifying the type of outer wrapping or packing of a yarn

Agency name: eBIZ

tabella cod.: T33

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T33.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------|---------------|-------------------|
| 00 | | | |
| CB | cartoon box | | |

| | | | |
|----|----------------------|--|--|
| CC | cartoon box 18 reels | | |
| CD | cartoon box 36 reels | | |
| XD | plastic film | | |

T38 - transport conditions

special condition of transport or special service requested to the Forwarder

tabella cod.: T38

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T38.xml

| Code | Description | Adoption note | Date of insertion |
|------|--|---------------|-------------------|
| ACC | arrange customs clearance | | |
| CAL | Carrier loads | | |
| CAU | Carrier unloads | | |
| CMR | CMR carnet | | |
| FFN | freight forwarders national conditions | | |
| FLD | special agreement for full loading | | |
| NCC | do not arrange customs clearance | | |
| PPB | packaging paid by Buyer | | |
| PPS | packaging paid by Supplier | | |
| PRO | proof of delivery | | |
| RFR | return container free | | |
| RPC | return container paid by Customer | | |
| RPS | return container paid by Supplier | | |
| SHL | Shipper loads | | |
| SHU | Consignee unloads | | |

T40 - type of transport means

means of transport, in general or referred to a specific leg

Agency name: eBIZ

tabella cod.: T40

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------|---------------|-------------------|
| AIR | aircraft | | |

| | | | |
|-----|-------|--|--|
| SHP | ship | | |
| TRU | truck | | |
| VAN | van | | |

T41 - type of Allowance or Charge

coded specification of an Allowance or Charge (elaborated from UNECE 4465)

Agency name: eBIZ

tabella cod.: T41

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T41.xml

| Code | Description | Adoption note | Date of insertion |
|------|-----------------------------|----------------------|-------------------|
| 1 | Agreed settlement | | 19/08/2018 |
| 10 | Costs for draft | | 19/08/2018 |
| 11 | Bank charges | DEPRECATED, use C BK | 19/08/2018 |
| 12 | Agent commission | | 19/08/2018 |
| 14 | Wrong delivery | | 19/08/2018 |
| 15 | Goods returned to agent | | 19/08/2018 |
| 16 | Goods partly returned | | 19/08/2018 |
| 17 | Transport damage | | 19/08/2018 |
| 19 | Trade discount | | 19/08/2018 |
| 2 | Below specification goods | | 19/08/2018 |
| 20 | Deduction for late delivery | DEPRECATED, use C WB | 19/08/2018 |
| 21 | Advertising costs | | 19/08/2018 |
| 22 | Customs duties | | 19/08/2018 |
| 23 | Telephone and postal costs | | 19/08/2018 |
| 24 | Repair costs | | 19/08/2018 |

| | | | |
|----|----------------------------------|--|------------|
| 25 | Attorney fees | | 19/08/2018 |
| 26 | Taxes | | 19/08/2018 |
| 3 | Damaged goods | | 19/08/2018 |
| 30 | Direct payment to seller | | 19/08/2018 |
| 32 | Goods not delivered | | 19/08/2018 |
| 33 | Late delivery | | 19/08/2018 |
| 35 | Goods returned | | 19/08/2018 |
| 36 | Invoice not received | | 19/08/2018 |
| 37 | Credit note to debtor/not to us | | 19/08/2018 |
| 38 | Deducted bonus | | 19/08/2018 |
| 39 | Deducted discount | | 19/08/2018 |
| 4 | Short delivery | | 19/08/2018 |
| 40 | Deducted freight costs | | 19/08/2018 |
| 41 | Deduction against other invoices | | 19/08/2018 |
| 42 | Credit balance(s) | | 19/08/2018 |
| 45 | Debit note to seller | | 19/08/2018 |
| 46 | Discount beyond terms | | 19/08/2018 |
| 48 | Allowance/charge error | | 19/08/2018 |
| 49 | Substitute product | | 19/08/2018 |
| 50 | Terms of sale error | | 19/08/2018 |
| 52 | Wrong invoice | | 19/08/2018 |
| 53 | Duplicate invoice | | 19/08/2018 |

| | | | |
|---------|--|--|------------|
| 54 | Weight error | | 19/08/2018 |
| 55 | Additional charge not authorized | | 19/08/2018 |
| 56 | Incorrect discount | | 19/08/2018 |
| 57 | Price change | | 19/08/2018 |
| 58 | Variation | | 19/08/2018 |
| 59 | Chargeback | | 19/08/2018 |
| 65 | Settlement to agent | | 19/08/2018 |
| 66 | Cash discount | | 19/08/2018 |
| 7 | Payment on account | | 19/08/2018 |
| 70 | Wrong monetary amount resulting from incorrect free goods quantity | | 19/08/2018 |
| 72 | Temporary special promotion | | 19/08/2018 |
| 73 | Difference in tax rate | | 19/08/2018 |
| 74 | Quantity discount | | 19/08/2018 |
| 75 | Promotion discount | | 19/08/2018 |
| 76 | Cancellation deadline passed | | 19/08/2018 |
| 77 | Pricing discount | | 19/08/2018 |
| 78 | Volume discount | | 19/08/2018 |
| 79 | Sundry discount | | 19/08/2018 |
| 8 | Returnable container charge included | | 19/08/2018 |
| 9 | Invoice error | | 19/08/2018 |
| AW A | bonus for works ahead of schedule | | |
| CBK | bank charges | | |
| CCR | servizio di corriere | | |

| | | | |
|---------|-----------------------------------|--|--|
| CIN | insurance | | |
| CLB | labelling | | |
| CPK | packing | | |
| CSP | special packing | | |
| CW B | penalty for works behind schedule | | |

T44 - additional code type

qualifier of the additional coding of a product

Agency name: eBIZ

tabella cod.: T44

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml

| Code | Description | Adoption note | Date of insertion |
|------|-----------------------------|---------------|-------------------|
| CC | colour card | | |
| CL | sales collection | | |
| CO | company identification code | | 08/09/2017 |
| DY | dye number | | |
| LT | lot number | | |
| MDI | Made in | | 08/09/2017 |
| MS | manufacturing state | | |
| PKG | packaging | | 09/09/2014 |
| PL | product line | | |
| RGB | RGB value | | |
| SE | selvedge code | | |

T59 - CIE illuminant

CIE light source

tabella cod.: T59

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T59.xml

| Code | Description | Adoption note | Date of insertion |
|------|--------------------------|---------------|-------------------|
| A | home tungsten CCT 2856K° | | 01/07/2013 |
| C | daylight CCT 6774K° | | 01/07/2013 |

| | | | |
|-----|---|--|------------|
| D50 | daylight CCT 5003Kà | | 01/07/2013 |
| D65 | solar standard CCT 6504K° | | 01/07/2013 |
| F11 | fluorescent narrow band CCT 4000K° (TL84) | | 01/07/2013 |
| F2 | cold white fluorescent CCT 4230K° | | 01/07/2013 |
| F7 | fluorescent broad band CCT 6500K° | | 01/07/2013 |

T60 - CIE standard observer

CIE average chromatic response definition

tabella cod.: T60

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T60.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------|---------------|-------------------|
| 31 | CIE-1931 | | 01/07/2013 |
| 64 | CIE-1964 | | 01/07/2013 |

T61 - duty or tax or fee type

duty or tax or fee type

Agency name: eBIZ

tabella cod.: T61

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T61.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------------|---------------|-------------------|
| BOL | stamp duty | | 01/07/2013 |
| CUD | customs duty | | 01/07/2013 |
| ENV | environmental tax | | 01/07/2013 |
| FRE | no tax | | 01/07/2013 |
| OTH | other tax charges | | 01/07/2013 |
| VAT | value added tax | | 01/07/2013 |

T62 - duty or tax or fee category

duty or tax or fee category

Agency name: eBIZ

tabella cod.: T62

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T62.xml

| Code | Description | Adoption note | Date of insertion |
|------|---------------------------|---------------|-------------------|
| AA | lower than standard rate | | 01/07/2013 |
| E | tax not applicable | | 01/07/2013 |
| H | higher than standard rate | | 01/07/2013 |
| O | outside scope of tax | | 01/07/2013 |
| S | standard rate | | 01/07/2013 |
| Z | zero rate goods | | 01/07/2013 |

T8 - Modes of Transport

way of transport, in general or referred to the specified leg

Agency name: eBIZ

tabella cod.: T8

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------------|---------------|-------------------|
| 1 | MARITIME TRANSPORT | | |
| 10 | Courier | | 01/07/2013 |
| 2 | RAIL TRANSPORT | | |
| 3 | ROAD TRANSPORT | | |
| 4 | AIR TRANSPORT | | |
| 5 | MAIL | | |
| 6 | AIR + SHIP TRANSPORT | | |
| 8 | INLAND WATER TRANSPORT | | |
| 9 | MODE UNKNOWN | | |

T9 - ISO4217 - Currency

currency code

Agency name: ISO

tabella cod.: T9

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml

Table not printed: there are 205 elements, more than the maximum specified for printing: 99.

